



NIIV LITES

The complete lighting ...

UNDER WATER
INGROUND
WALL WASHER
FOUNTAIN
LED
SURFACE
FLOOD
LIGHTS



**PRODUCT
CATALOGUE
2023**

INGROUND
UNDER WATER
WALL WASHER
FOUNTAIN
LED
LIGHTS
SURFACE
FLOOD
LIGHTS



NIIV LITES

The complete lighting ...

NIIV LITES began its journey in 2015 with a clear vision of providing quality products in LED and other lighting. Since then, with many years of hard work and continuous innovation of products we have today become a reputed LED UNDERWATER LIGHT manufacturer in India. We have been successful in winning the confidence and trust of our clients by providing them with superior quality products at legitimate cost.

SWIMMING POOL LIGHTS SURFACE



NV0103 SURFACE

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0106 SURFACE

Power - 6wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0109 SURFACE

Power - 9wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0112 SURFACE

Power - 12wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR




**DMX
COMPATIBLE**



SWIMMING POOL LIGHTS RECESSED

Nv0203 CONSEAL

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø100mm x Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR




Nv0206 CONSEAL

Power - 6W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø100mm x Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0209 CONSEAL

Power - 9W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø140mm x Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0212 CONSEAL

Power - 12W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø140mm x Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



**DMX
COMPATIBLE**

FOUNTAIN LIGHTS

Nv0303 STAND

Power - 3W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0306 STAND

Power - 6W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø75mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0309 STAND

Power - 9W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR




Nv0312 STAND

Power - 12W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass
Dimension - Ø110mm x h-23mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



**DMX
COMPATIBLE**

INGROUND LIGHTS



	Power	LED	Colour Temp	CRI	Voltage	Beam Degree	Material	Dimension	Wire	IP Grade	Warranty
Nv0401	1W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	3VDC	45	Ss304 + Aluminum + Glass + PC	Ø43mm x Ø34mm x h-45mm	1ft	Ip68	1 YEAR
Nv0403	3W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	12VDC	45	Ss304 + Aluminum + Glass + PC	Ø85mm x Ø75mm x h-61mm	1mtr	Ip68	1 YEAR
Nv0406	6W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	12VDC	45	Ss304 + Aluminum + Glass + PC	Ø85mm x Ø75mm x h-61mm	1mtr	Ip68	1 YEAR
Nv0409	9W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	12VDC	45	Ss304 + Aluminum + Glass + PC	Ø110mm x Ø85mm x h-65mm	1mtr	Ip68	1 YEAR
Nv0412	12W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	12VDC	45	Ss304 + Aluminum + Glass + PC	Ø110mm x Ø85mm x h-65mm	1ft	Ip68	1 YEAR

COB INGROUND UPLIGHT INBUILT DRIVER



Nv0502



Nv0503



Nv0506



Nv0509



Nv0512



	Power	LED	Colour Temp	CRI	Voltage	Beam Degree	Material	Dimension	Wire	IP Grade	Warranty
Nv0502	2W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	45	Ss304 + Aluminum + Glass + PC	Ø43mm x Ø34mm x h-70mm	1ft	Ip66	1 YEAR
Nv0503	3W	Cree	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	24/36/ 45/60	Ss304 + Aluminum + Glass	Ø70mm x Ø55mm x h-86mm	1ft	Ip66	1 YEAR
Nv0506	6W	Cree	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	24/36/ 45/60	Ss304 + Aluminum + Glass	Ø70mm x Ø55mm x h-86mm	1ft	Ip66	1 YEAR
Nv0509	9W	Cree	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	24/36/ 45/60	Ss304 + Aluminum + Glass	Ø100mm x Ø75mm x h-86mm	1ft	Ip66	1 YEAR
Nv0512	12W	Cree	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	24/36/ 45/60	Ss304 + Aluminum + Glass	Ø100mm x Ø75mm x h-86mm	1ft	Ip66	1 YEAR

WALL WASHER LED LIGHTS

Wall Washer NVO63



Wall Washer NVO66



Wall Washer NVO601



Wall Washer NVO602



Wall Washer NVO603



Wall Washer NVO604



	Power	LED	Colour Temp	CRI	Voltage	Beam Degree	Material	Dimension	Wire	IP Grade	Warranty
NVO63	3W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC	93mm x 43mm x 48mm	1ft	Ip65	1 YEAR
NVO66	6W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC	168mm x 43mm x 48mm	1ft	Ip65	1 YEAR
NVO601	11W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC	300mm x 43mm x 48mm	1ft	Ip65	1 YEAR
NVO602	22W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC	600mm x 43mm x 48mm	1ft	Ip65	1 YEAR
NVO603	33W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC	900mm x 43mm x 48mm	1ft	Ip65	1 YEAR
NVO604	45W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC	1200mm x 43mm x 48mm	1ft	Ip65	1 YEAR

* Also Available in RGB / RGB + White / RGB + Warm White

* Anti glare with visor - option available



LINEAR INGROUND LED LIGHTS

Linear Inground NV073



Linear Inground Nv076



Linear Inground NV0701



Linear Inground Nv0702



Linear Inground Nv0703



Linear Inground Nv0704



	Power	LED	Colour Temp	CRI	Voltage	Beam Degree	Material	Dimension	Wire	IP Grade	Warranty
NV073	3W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	103mm x 45mm x 70mm	1ft	Ip65	1 YEAR
Nv076	6W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	170mm x 45mm x 70mm	1ft	Ip65	1 YEAR
NV0701	11W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	310mm x 45mm x 70mm	1ft	Ip65	1 YEAR
Nv0702	22W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	600mm x 45mm x 70mm	1ft	Ip65	1 YEAR
Nv0703	32W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	910mm x 45mm x 70mm	1ft	Ip65	1 YEAR
Nv0704	45W	3030 Osram	3000 / 4000 / 6000 / red / blue / green / amber / pink	>80Ra	230VDC	15	Aluminum + PC + MS + Ss304	1210mm x 45mm x 70mm	1ft	Ip65	1 YEAR

* Also Available in RGB / RGB + White / RGB + Warm White

**DMX
COMPATIBLE**



NOZZLE FOUNTAIN LIGHT



NV 0806 6wt Nozzle Fountain Light

Power - 6wt / 18wt
LED - Edison
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / RGB
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 15
Material - Aluminum +PC
Dimension - Ø125mm x Nozzle Ø30mm x h-30mm
Wire - 2mtr
IP Grade - IP68
Warranty - 1 YEAR

NV 0809 9wt Nozzle Fountain Light

Power - 9wt / 27wt
LED - Edison
Colour temp - 3000 / 4000 / 6000 / red / blue / green / amber / pink / RGB
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 15
Material - SS304 + Aluminum +PC
Dimension - Ø150mm x Nozzle Ø50mm x h-30mm
Wire - 2mtr
IP Grade - IP68
Warranty - 1 YEAR



Nv0909 DISH SURFACE

Power - 9wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 / red /
blue / green / amber / pink
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass + SS304
Dimension - Ø205mm x h-30mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



Nv0912 DISH SURFACE

Power - 12wt
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink / rgb
CRI - >80Ra
Voltage - 12VDC
Beam Degree - 45
Material - Aluminum + Glass + SS304
Dimension - Ø205mm x h-30mm
Wire - 2 meter
IP Grade - IP68
Warranty - 1 YEAR



FOOT LIGHT STRAIGHT INBUILT DRIVER

Nv1010 01 Foot Light
Straight inbuilt driver



Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum + Glass + PC
Dimension - Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR

Nv1010 02 Foot Light
Lowers inbuilt driver



Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum + Glass + PC
Dimension - Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR

Nv1010 03 Foot Light
Cross inbuilt driver



Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum + Glass + PC
Dimension - Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR

Nv1010 04 Foot Light
Half Round inbuilt driver



Power - 2W
LED - 3030 Osram
Colour temp - 3000 / 4000 / 6000 /
red / blue / green / amber / pink
CRI - >80Ra
Voltage - 230VAC
Beam Degree - 45
Material - SS304 + Aluminum + Glass + PC
Dimension - Ø43mm x Ø34mm x h-70mm
Wire - 1ft
IP Grade - IP65
Warranty - 1 YEAR

Power - 50W
 LED - 2835 Osram / Edison
 Colour temp - 3000 / 4000 / 6000 / red /
 blue / green / amber / pink
 CRI - >80Ra
 Voltage - 230VAC
 Beam Degree - 120
 Material - Aluminum Die Cast + Glass
 Wire - 1ft
 Driver - PF 0.95 with 6kva surge
 IP Grade - IP65
 Warranty - 1 YEAR



**NV1012 50wt
 LED Flood Light**

Power - 100W
 LED - 2835 Osram / Edison
 Colour temp - 3000 / 4000 / 6000 /
 red / blue / green / amber / pink
 CRI - >80Ra
 Voltage - 230VAC
 Beam Degree - 120
 Material - Aluminum Die Cast + Glass
 Wire - 1ft
 Driver - PF 0.95 with 6kva surge
 IP Grade - IP65
 Warranty - 1 YEAR



**Nv1012 100wt
 LED Flood Light**

Power - 150W
 LED - 2835 Osram / Edison
 Colour temp - 3000 / 4000 / 6000 /
 red / blue / green / amber / pink
 CRI - >80Ra
 Voltage - 230VAC
 Beam Degree - 120
 Material - Aluminum Die Cast + Glass
 Wire - 1ft
 Driver - PF 0.95 with 6kva surge
 IP Grade - IP65
 Warranty - 1 YEAR



**Nv1012 150wt
 LED Flood Light**

Power - 200W
 LED - 2835 Osram / Edison
 Colour temp - 3000 / 4000 / 6000 /
 red / blue / green / amber / pink
 CRI - >80Ra
 Voltage - 230VAC
 Beam Degree - 120
 Material - Aluminum Die Cast + Glass
 Wire - 1ft
 Driver - PF 0.95 with 6kva surge
 IP Grade - IP65
 Warranty - 1 YEAR



**Nv1012 200wt
 LED Flood Light**

Power - 200W
 LED - 2835 Osram / Edison
 Colour temp - 3000k + 6000k /
 Green + Amber / 6000k + Green
 CRI - >80Ra
 Voltage - 230VAC
 Beam Degree - 120
 Material - Aluminum Die Cast + Glass
 Wire - 1ft
 Driver - PF 0.95 with 6kva surge
 IP Grade - IP65
 Warranty - 1 YEAR



**Nv1012 200wt
 LED Flood Light 2in1**

Power - 400W
 LED - 2835 Osram / Edison
 Colour temp - 3000 / 4000 / 6000 /
 red / blue / green / amber / pink
 CRI - >80Ra
 Voltage - 230VAC
 Beam Degree - 120
 Material - Aluminum Die Cast + Glass
 Wire - 1ft
 Driver - PF 0.95 with 6kva surge
 IP Grade - IP65
 Warranty - 1 YEAR



**Nv1012 400wt
 LED Flood Light**

**Also available in
 600wt & 800wt**

GATE LIGHTS / BOLLARDS

NV1101
Square Dome



NV1101
Square Flat



NV1102
Round Dome



NV1102
Round Flat



NV 1103
OVEL



NV1104
Bollard 4 Pillar



NV1105
Round Bollard



NV1106
Bollard Hut Dome



NV1106
Bollard Hut Flat



NV1107 Bollard
Round Dome



NV 1107
ROUND FLAT



Model No	Power / Holder	Voltage	Dimension
Nv1101 Square Dome	E27	—	W220mm x h-275mm
Nv1101 Square Flat	E27	—	W220mm x h-225mm
Nv1102 Round Dome	E27	—	W220mm x h-235mm
Nv1102 Round Flat	E27	—	W220mm x h-225mm
Nv1103 Oval	E27	—	W170mm x h-230mm
Nv1104 Bollard 4 Pillar	12W	230VAC	Ø90mm x Ø90mm x h-300mm / 600mm / 900mm
Nv1105 Round Bollard	12W	230VAC	Ø150mm x h-300mm / 600mm / 900mm
Nv1106 Bollard Hut Dome	E27	—	W220mm x h-500mm / 650mm / 950mm
Nv1106 Bollard Hut Flat	E27	—	W220mm x h-450mm / 600mm / 900mm
Nv1107 Bollard Round Dome	E27	—	W220mm x h-485mm / 635mm / 935mm
Nv1107 Bollard Round Flat	E27	—	W220mm x h-450mm / 600mm / 900mm

GATE LIGHTS / BOLLARDS

Nv1108
Bollard Oval



Nv1109 Bollard
Sleek Flat



Nv1109 Bollard
Sleek Dome



Nv1110
Bollard Square



Nv1111 Temple
Gate Light



Nv1113
Centre Ring



Nv1114
Side Ring



Nv1115
Double Ring



Model No	Power / Holder	Voltage	Dimension
Nv1108 Bollard Oval	E27	—	W170mm x h-450mm / 600mm / 900mm
Nv1109 Bollard Sleek Flat	E27	—	W140mm x h-300mm / 600mm / 900mm
Nv1109 Bollard Sleek Dome	E27	—	W140mm x h-325mm / 625mm / 925mm
Nv1110 Bollard Square	E27	—	W100mm x h-300mm / 600mm / 900mm
Nv1111 Temple Gate Light	E27	—	1- 150mm x 150mm x h160mm 2- 200mm x 200mm x h225mm
Nv1113 Centre Ring	50W	230VAC	Ø400mm x h-300
Nv1114 Side Ring	50W	230VAC	Ø475mm x h-200
Nv1115 Double Ring	50W x2	230VAC	Ø400mm x2 x h-300

- * all the above fixtures are Aluminum Die Cast + PC
- * IP65 Grade

Please Note -

- The shape/size/looks of the fixture might change according to the new technology.
- Any of the above model can be discontinued without prior notice.
- All products are without driver unless specified.



NIIV LITES

The complete lighting ...



NIIV LITES

The complete lighting ...

Address: Unit No - 125, 1st Floor, Paras Industrial Estate, Kachpada,
Malad (West) - Mumbai 400 064.

Email Id: niivlites@gmail.com | **Tel:** +91-98920 27691.