

ORTHOSYS ENTERPRISES



Orthopaedic Implants & Instruments

ORTHOSYS ENTERPRISES

BONE SCREWS

Cortical Screw 3.5mm
 Cat No. 02.010 to 02.050
 Size : 10 to 50mm (2mm Diff)



Cortical Screw 4.5mm
 Cat No. 03.014 to 03.070
 Size : 14 to 70mm (2mm Diff)



Malleolar Screw 4.5mm
 Cat No. 04.025 to 04.080
 Size : 25 to 80mm (5mm Diff)



Cancellous Screw 3.5mm
 Cat No. 05.012 to 05.060
 Size : 12 to 30mm (2mm Diff)
 35 to 60mm (5mm Diff)



Cancellous Screw 3.5mm Full Thread
 Cat No. 06.012 to 06.070
 Size : 12 to 30mm (2mm Diff)
 35 to 60mm (5mm Diff)



Cancellous Screw 4.0mm Partial Thread
 Cat No. 07.012 to 07.070
 Size : 12 to 30mm (2mm Diff)
 35 to 70mm (5mm Diff)



Cancellous Screw 6.5mm Full Thread
 Cat No. 08.025 to 08.020
 Size : 25 to 120mm (5mm Diff)



Cancellous Screw 6.5mm 32mm Thread
 Cat No. 09.040 to 09.120
 Size : 25 to 120mm (5mm Diff)



Cancellous Screw 6.5mm 16mm Thread
 Cat No. 10.025 to 10.020
 Size : 25 to 120mm (5mm Diff)



Cancellous Cancellated Screw 4.0mm Partial Thread/Full Thread
 Cat No. PT 13.012P to 13.070P
 Cat No. FT 13.012F to 13.070F
 Size : 12 to 30mm (2mm Diff)
 35 to 70mm (5mm Diff)



Cancellous Cancellated Screw 7.0mm 16mm/32mm Thread
 Cat No. 16mm 15.025 to 15.120
 Cat No. 32mm 14.040 to 14.120
 Size : 40 to 1200mm (5mm Diff)



ORTHOSYS ENTERPRISES

BONE PLATES

Small Dynamic Compression Plate 3.5mm
Cat No. 21.004 to 21.014
Size : 4 Holes to 14 Holes



One Third Tubular Plate 3.5mm
Cat No. 22.004 to 22.012
Size : 4 Holes to 12 Holes

Straight Reconstruction Plate 3.5mm
Cat No. 23.004 to 23.016
Size : 4 Holes to 16 Holes



T-Plate 3.5mm Right Angle
Cat No. 24.003 to 24.008
Size : 3 Holes to 8 Holes

T-Plate 3.5mm Oblique Angle
Cat No. 25.003 to 25.006
Size : 3 Holes to 6 Holes



C-Flareleaf Plate 3.5mm
Cat No. 26.003 to 26.010
Size : 3 Holes to 10 Holes

Y-Reconstruction Plate 3.5mm
Cat No. 27.001 to 27.003
Size : Small, Medium, Large



Small Limited Contact DCP 3.5mm
Cat No. 28.004 to 28.014
Size : 4 Holes to 14 Holes

Olecranon Plate 3.5mm
Cat No. 126.005 to 126.010
Size : 5 Holes to 10 Holes



Narrow Dynamic Compression Plate 4.5mm
Cat No. 29.004 to 29.016
Size : 4 Holes to 16 Holes

Broad Dynamic Compression Plate 4.5mm
Cat No. 30.005 to 30.018
Size : 5 Holes to 18 Holes



T-Plate 4.5mm
Cat No. 31.003 to 31.010
Size : 3 Holes to 10 Holes

T-Buttress Plate 4.5mm
Cat No. 32.003 to 32.010
Size : 3 Holes to 10 Holes



L-Buttress Plate Right/Left Leg 4.5mm
Cat No. (Right) 33.003 to 33.010
Cat No. (Left) 34.003 to 34.010
Size : 3 Holes to 10 Holes

LOCKING PLATES

**Locking Reconstruction
Plate 3.5mm**
Cat No. 320.004 to 320.016
Size : 4 Holes to 16 Holes



**Proximal Humerus Locking
Compression Plate 3.5mm**
Cat No. 314.004 to 314.008
Size : 4 Holes to 8 Holes



Locking T-Plate 4.5mm
Cat No. 306.003 to 306.010
Size : 3 Holes to 10 Holes



Locking T-Buttress Plate 4.5mm
Cat No. 307.003 to 307.010
Size : 3 Holes to 10 Holes



**Locking L-Buttress Plate 4.5mm
(Right/Left Leg)**
Cat No. (Right) 308.003 to 308.010
(Left) 309.003 to 309.010
Size : 3 Holes to 10 Holes



**Lateral Tibia Locking Plate
(Right/Left Leg)**
Cat No. (Right) 316.005 to 316.013
(Left) 317.005 to 317.013
Size : 5 Holes to 13 Holes



**Distal Femur Locking Plate
(Right/Left Leg)**
Cat No. (Right) 318.005 to 318.013
(Left) 319.005 to 319.013
Size : 5 Holes to 13 Holes



**Metaphyseal Locking
Plate 3.5mm**
Cat No. 321.006 to 321.010
Size : 6 Holes to 10 Holes



**Metaphyseal Locking
Plate 3.5/4.5/5.0mm**
Cat No. 322.003 to 322.012
Size : 3 Holes to 12 Holes



External Fixators



Single Pin Clamp Cat No. 88.005



Double Pin Clamp Cat No. 88.006



Open Single Pin Clamp Cat No. 88.007



Connecting Clamp Cat No. 88.008

ORTHOSYS ENTERPRISES

INTERLOCKING NAILS

Locking Bolts Self Tapping 3.4mm
Cat No. 67.034
Size : Length 18 to 50mm (2mm Diff)



Locking Bolts Self Tapping 3.9mm
Cat No. 67.039
Size : Length 24 to 50mm (2mm Diff)



Locking Bolts Self Tapping 4.9mm
Cat No. 67.049
Size : Length 18 to 90mm (2mm Diff)



Proximal Lag Screws
Cat No. 223.050 to 223.120
Size : Dia 6.5 & 8.0mm
Length 50 to 120mm (5mm Diff)



Locking Plates & Screws

Locking Head Screw 3.5mm
Cat No. 304.010 to 304.060
Size : 10 to 30mm (2mm Diff)
35 to 60mm (5mm Diff)



Locking Head Screw 5.0mm
Cat No. 305.014 to 305.090
Size : 14 to 50mm (2mm Diff)
55 to 90mm (5mm Diff)



Small Locking Compression
Plate 3.5mm
Cat No. 301.004 to 301.012
Size : 4 Holes to 12 Holes (5mm Diff)



Narrow Locking Compression
Plate 4.5mm
Cat No. 302.005 to 302.014
Size : 5 Holes to 14 Holes



Broad Locking Compression
Plate 4.5mm
Cat No. 303.006 to 303.016
Size : 6 Holes to 16 Holes



Locking T-Plate 3.5mm
Cat No. 311.003 to 311.006
Size : 3 Holes to 6 Holes



Locking T-Plate Oblique
3.5mm (Right/Left)
Cat No. (Right) 312.003 to 312.006
(Left) 313.003 to 313.006
Size : 3 Holes to 6 Holes



Locking Cloverleaf Plate 3.5mm
Cat No. 310.003 to 310.010
Size : 3 Holes to 10 Holes





INTERLOCKING NAILS



Interlock Tibia Nail
Cat No. 63.080 to 63.110
Size : Dia 8, 9, 10 & 11mm:
Length 260 to 380mm (20mm Diff)

Interlock Tibia Nail Distal End
Cat No. 237.080 to 237.110
Size : Dia 8, 9, 10 & 11mm:
Length 260 to 380mm (20mm Diff)



Interlock Femur Nail
Cat No. 65.090 to 65.130
Size : Dia 9, 10, 11, 12 & 13mm:
Length 340 to 460mm (20mm Diff)

Proximal Femoral Nail
Cat No. 220.009 to 220.012
Size : Dia 9, 10, 11 & 12mm:
Length 240mm



Supra Condylar Nail
Cat No. 224.009 to 224.012
Size : Dia 9, 10, 11 & 12mm:
Length 150 to 300mm (50mm Diff)

**Antegrade Femoral Nail
(Right/Left Leg)**
Cat No. (Right) 235.009 to 235.011
Cat No. (Left) 236.009 to 236.011
Size : Dia 9, 10, & 11mm:
Length 340 to 460mm (20mm Diff)



**Interlock Humerus Nail
(Solid/ Canulated)**
Cat No. (Solid) 62.060 to 62.075
(Canulated) 228.060 to 228.080
Size : Dia 6, 7 & 8mm: Length 180
to 300mm (10mm Diff)

ORTHOSYS ENTERPRISES

BONE PLATES

Spoon Plate 4.5mm
Cat No. 35.005 to 35.006
Size : 5 Holes to 6 Holes



Semi-Tubular Plate 4.5mm
Cat No. 36.004 to 36.012
Size : 4 Holes to 12 Holes



Narrow Limited Contact DCP 4.5mm
Cat No. 38.004 to 38.016
Size : 4 Holes to 16 Holes



Broad Limited Contact DCP 4.5mm
Cat No. 39.005 to 39.016
Size : 5 Holes to 16 Holes



Condylar Buttress Plate Right/Left Leg 4.5mm
Cat No. (Right) 43.005 to 43.015
Cat No. (Left) 44.005 to 44.015
Size : 5 Holes to 15 Holes



Lateral Tibia Buttress Plate Right/Left Leg 4.5mm
Cat No. (Right) 123.005R to 123.015R
Cat No. (Left) 123.005L to 123.015L
Size : 5 Holes to 15 Holes



Dynamic HIP & Condylar Implant

DHS Barrel Plate (38mm/ Barrel Length)
Cat No. 125°, 130°, 140°, 145°, 150°
Cat No. 51.003 to 57.006
Size : 3 Holes to 18 Holes



DCS Barrel Plate 95°
Cat No. 59.004 to 59.018
Size : 4 Holes to 18 Holes



DCS Double Angle Barrel Plate 120°
Cat No. 58.004 to 58.006
Size : 4 Holes to 6 Holes



Screws For Dynamic Hip/ Condylar Plate
Cat No. 60.050 to 60.120
Size : 50mm to 120mm (5mm Diff)



Intramedullary Nails

Titanium Elastic Nail
Cat No. 227.020 to 227.050
Size : Dia 2.0 to 5.0mm (0.5mm Diff);
Length 450mm



LOCKING PLATES



Twin Adjustable Clamp
(Straight/Curved) Cat No. 88.009



Tube To Tube Clamp
Cat No. 88.010



Mini Single Pin Clamp 4.0x4.0mm
Cat No. 88.002



Mini Single Pin Clamp 4.0x2.5mm
Cat No. 88.001



Transverse Clamp Cat No. 88.011



Tubular Rod Rod 11.0mm Cat No. 91.100 to 91.500
Sizes : Length 100 to 500mm (50mm Diff)



Connecting Rod 5.0mm
Cat No. 90.200



Connecting Rod 4.0mm Cat No. 89.100 to 89.350
Sizes : Length 100 to 350mm (50mm Diff)



Schanz Screw Cat No. 94.040 to 94.050
Sizes : Dia 4.0, 4.5 & 5.0mm



Cancellous Schanz Screw Cat No. 94.065
Sizes : Dia 6.5mm



Schanz Screw Cat No. 94.025
Sizes : Dia 2.5mm



Schanz Screw Cat No. 94.035
Sizes : Shaft Dia 4.0mm, Thread Dia 3.5mm

Straight Plates:



Cat No: 301.005T/301.005 - 301.012T/301.012
Locking Compression Plate 3.5 mm LCP Small (TiT/SS)- (5 -12 Holes)



Cat No: 323.005T/323.005 - 323.012T/323.012
1/3 Tubular Plate 3.5 mm LCP (TiT/SS)- (5 -12 Holes)



Cat No: 320.005T/320.005 - 320.012T/320.012
Lock-in Recon Combi Hole Plate 3.5 mm (TiT/SS)- (5 -12 Holes)



Cat No: 302.006T/302.006 - 302.014T/302.014
Locking Compression Plate 4.5/5.0 mm LCP Narrow (TiT/SS)- (6 -14 Holes)



Cat No: 303.006T/303.006 - 303.016T/303.016
Locking Compression Plate 4.5/5.0 mm LCP Broad (TiT/SS)- (6 -16 Holes)

Proximal Humerus Plate:



Cat No: 331.003T/331.003- 331.005T/331.005
Philos Plate 3.5 mm LCP Short (TiT/SS)- (3 -5 Holes)
Cat No: 332.004T/332.004 - 332.012T/332.012
Philos Plate 3.5 mm LCP Long (TiT/SS)- (4 -12 Holes)

Proximal Tibia Plates 4.5/5.0 mm



Cat No: 316.004 LT/RT /316.004 L/R - 316.013 LT/RT /316.013 L/R
Lateral Tibia Plate (Left /Right) 4.5/5.0 mm LCP (TiT/SS)- (4 -13 Holes)



Cat No: 421.004 LT/RT /421.004 L/R - 421.010 LT/RT /421.010 L/R
Medial Proximal Tibia Plate (Left /Right) 4.5/5.0 mm LCP (TiT/SS)- (4 -10 Holes)



Cat No: 343.004 LT/RT /343.004 L/R - 343.010 LT/RT /343.010 L/R
Medial Proximal Tibia (Left /Right) 3.5 mm LCP (TiT/SS)- (4 -10 Holes)

[Proximal Tibia Plates 3.5 mm:](#)



Cat No: 340.004 LT/RT /340.004 L/R - 340.012 LT/RT /340.012 L/R
Proximal Lateral Tibia (Left /Right) 3.5 mm LCP (TiT/SS)- (4 -12 Holes)



Cat No: 340.004 LT/RT /340.004 L/R - 340.012 LT/RT /340.012 L/R
Proximal Lateral Tibia (O) (Left /Right) 3.5 mm LCP (TiT/SS)- (4 -12 Holes)



Cat No: 342.002T/342.002 - 342.008T/342.008
Posterior Medial Proximal Tibia Plate 3.5 mm LCP (TiT/SS)- (2 -8 Holes)

[Distal Femur Plate](#)



Cat No: 318.005 LT/RT /318.005 L/R - 318.013 LT/RT /318.013 L/R
Distal Femur Plate (Left /Right) 4.5/5.0 mm LCP (TiT/SS)- (5 -13 Holes)

Distal Medial Tibia Plate:



Cat No: 334.004 LT/RT /334.004 L/R - 334.014 LT/RT /334.014 L/R
Distal Tibia Medial (Left /Right) LCP (TiT/SS)- (4 -14 Holes)

Elbow Plates:



Cat No: 413.003 LT/RT /413.003 L/R - 413.009 LT/RT /413.009 L/R
Dorsolateral Plate with Support (Left /Right) 2.7/3.5 mm LCP (TiT/SS)- (3 -9 Holes)



Cat No: 412.003 LT/RT /412.003 L/R - 412.009 LT/RT /412.009 L/R
Dorsolateral Plate (Left /Right) 2.7/3.5 mm LCP (TiT/SS)- (3 -9 Holes)



Cat No: 414.004 LT/RT /412.004 L/R - 412.010 LT/RT /412.010 L/R
Distal Humerus EA Plate (Left /Right) LCP (TiT/SS - (4 -10 Holes)



Cat No: 411.003 LT/RT /411.003 L/R - 411.009 LT/RT /411.009 L/R
Medial Humerus Plate (Left /Right) 2.7/3.5 mm LCP (TiT/SS)- (3 -9 Holes)



Cat No: 330.002 LT/RT /330.002 L/R - 330.008 LT/RT /330.008 L/R
Olecranon Plate (Left /Right) 3.5 mm LCP (TiT/SS)- (2 -8 Holes)

[Clavicle Plates](#)



Cat No: 405.006 LT/RT /405.006 L/R - 405.008 LT/RT /405.008 L/R
Superior Anterior Clavicle Plate (Left /Right) 3.5 mm LCP (TiT/SS)- (6 -8 Holes)



Cat No: 406.004 LT/RT /406.004 L/R - 406.006 LT/RT /406.006 L/R
Clavicle Plate with Lateral Extension (Left /Right) 3.5 mm LCP (TiT/SS)- (4 -6 Holes

Distal Radius



Cat No: 456.003 LT/RT /456.003 L/R - 456.005 LT/RT /456.005 L/R
Distal Radius Volar LCP 5 H (Left /Right) 2.7 mm LCP (TiT/SS)- (3 -5 Holes)



Cat No: 459.003 LT/RT /459.003 L/R - 459.005 LT/RT /459.005 L/R
Distal Radius Volar EA 4 H (Left /Right) 2.7 mm LCP (TiT/SS)- (3 -5 Holes)



Cat No: 458.003 LT/RT /458.003 L/R - 458.005 LT/RT /458.005 L/R
Distal Radius Volar EA 5 H (Left /Right) 2.7 mm LCP (TiT/SS)- (3 -5 Holes)



Cat No: 457.003 LT/RT /457.003 L/R
Distal Radius Volar Buttress (Left /Right) LCP (Tit/SS) 5 Holes Head- 3 Holes



Cat No: 451.005T/451.005 - 451.006 T /451.006
Distal Radius Dorsal 2.7 mm LCP Straight (TiT/SS)- (5 -6 Holes)



Cat No: 463.003 LT/RT /463.003 L/R - 463.005 LT/RT /463.005 L/R
Distal Radius Volar with Column 9 Holes Head (Left /Right) LCP (TiT/SS)- (3 -5 Holes)



Cat No: 344.004 LT/RT /344.004 L/R - 344.010 LT/RT /344.010 L/R
Lateral Distal Fibula (Left /Right) LCP (TiT/SS)- (4 -10 Holes)

[Screws for 3.5 mm Systems](#)



Cat No: 304.012T- 304.012 - 304.085T- 304.085
3.5 mm Locking Head Screw (TiT/SS)- (12 -85 mm)



Cat No: 120.012T- 120.012 - 120.060T- 120.060
3.5 mm Cortical Screw (TiT/SS)- (12 -60 mm)



Cat No: 358.020T- 358.020 - 358.060T- 358.060
4.0 mm Canc Locking Head Screw (TiT/SS)- (20 -60 mm)




Cat No: 007.020T- 007.020 - 007.060T- 007.060
4.0 mm Cancellous Screw Part Threaded (TiT/SS)- (20 -60 mm)



Cat No: 006.020T- 006.020 - 006.060T- 006.060
4.0 mm Cancellous Screw Full Thread (TiT/SS)- (20 -60 mm)

[Screws for 5.0 mm System](#)



Cat No: 305.028T- 305.028 - 305.090T- 305.090
5.0 mm Locking Head Screw (TiT/SS)- (28 -90 mm)



Cat No: 121.016T- 121.016 - 121.060T- 121.060
4.5 mm Cortical screws (TiT/SS)- (16 -60 mm)



Cat No: 379.040T- 379.040 - 379.090T- 379.090
5.2 mm cancellous screw 16 mm TH (TiT/SS)- (40 -90 mm)



Cat No: 380.045T- 380.045 - 380.095T- 380.095
5.2 mm Cancellous Screw 32 mm TH (TiT/SS)- (45 -95 mm)

[Screws for 2.7 mm System](#)





Cat No: 353.012T- 353.012 - 353.060T- 353.060
2.7 mm Locking Head Screw (TiT/SS)- (12 -60 mm)



Cat No: 509.010T- 509.010 - 509.040T- 509.040
2.7 mm Cortical Screw (TiT/SS)- (10 -40 mm)