





**MWUD**  
PREMIUM DOOR SKIN

Corporate Office  
13-14 Hcf Bns nagar, Ludhiana, Punjab

Branch Office  
Wts 88/2 Kirti Nagar, Delhi  
Works


Handa Plywood Pvt Ltd Mullanpur Road,  
Hamoran Ludhiana Punjab

[www.mwud.in](http://www.mwud.in)

  +91 9815896800



**MWUD**  
PREMIUM DOOR SKIN



MOD  
ERN

DOOR  
COLLECTION



It's a collection of  
Ageless colours and designs,  
that keep your door's look new  
and beautiful forever.

Mwud door skin is a precious gem of the HANDA family. MWUD is the ultimate solution for those who dream to create the beautiful interior. The range and its effects cover all aspects from noble to modern living. MWUD is the product that benefits from the company wide past experience in the laminate segment, experience that has provided important know how not only about the product itself but also about the relative industrial processes and efficiency i.e. constantly renewed with up-to-date technologies.

This new series of MWUD laminate is now in your hand, we have introduced some new designs that are crafted on beautiful selected design papers.

Wish you all a refreshing and beautiful interior forever!



**Digital Metal Door Skin**  
Page No. 01 - 06

**Highgloss Veneer Door Skin**  
Page No. 07 - 14



**Digital Door Collection**  
Page No. 15 - 26

**Texture Door Collection**  
Page No. 27 - 34



**Metal Door Collection**  
Page No. 35 - 42

**Premium Collection**  
Page No. 43 - 65



Conventional Standard Cold Press Grade Laminate  
Disclaimer: The Actual Door May Vary Due To Printing Limitations



**M'WUD**  
PREMIUM DOOR SKIN

# Digital METAL

D O O R S K I N



# Digital Metal *Collection*



DGM 001

7X3.25FT.  
8X4FT.



DGM 002

7X3.25FT.  
8X4FT.





Digital Metal  
*Collection*



DGM 005

7X3.25FT.  
8X4FT.



DGM 006

7X3.25FT.  
8X4FT.



DGM 007

7X3.25FT.  
8X4FT.





**MWUD**

PREMIUM DOOR SKIN

HIGHGLOSS  
veneer  
DOOR SKIN

Exclusive designs, wide range of door  
and unique surfaces makes you feel  
of arena.  
let's enter the arena...



# Highgloss Veneer Door Skin Collection

*A Mirror Of Perfection*



VCT 010

7X3.25FT.  
8X4FT.



VCT 011

7X3.25FT.  
8X4FT.

# Highgloss Veneer Door Skin Collection

*A Mirror Of Perfection*



VCT 008

7X3.25FT.



VCT 009

7X3.25FT.



# Highgloss Veneer Door Skin Collection

*A Mirror Of Perfection*



VCT 012

7X3.25FT.



VCT 013

7X3.25FT.



**M'WUD**  
PREMIUM DOOR SKIN

## Digital Door Collection

FOR & INCREDIBLE  
INTELLIGENT IMPRESSIONS





Digital  
*Collection*



DT 21

7X3.25FT.  
8X4FT.



DT 22

7X3.25FT.



DT 23

7X3.25FT.





*A Mirror Of Perfection*



Digital  
*Collection*



DT 25

7X3.25FT.



DT 26

7X3.25FT.  
8X4FT.



DT 27

7X3.25FT.  
8X4FT.



DT 32


7X3.25FT.



*A Mirror Of Perfection*



Digital  
*Collection*



DT 12

7X3.25FT.  
8X4FT.



DT 08

7X3.25FT.  
8X4FT.



DT 14

7X3.25FT.  
8X4FT.



DT 15

7X3.25FT.  
8X4FT.



Digital  
*Collection*



DT 33

7X3.25FT.




DT 34

7X3.25FT.  
8X4FT.



DT 16

7X3.25FT.  
8X4FT.





# Digital Highgloss *Collection*



DTHG 29

7X3.25FT.




DTHG 30

7X3.25FT.



DTHG 24

7X3.25FT.



# TEXTURE DOOR COLLECTION



**M'WUD**  
PREMIUM DOOR SKIN



## TEXTURE STORY



Exclusive designs, wide range of door and unique surfaces makes you feel of arena. let's enter the arena...







*A Mirror Of Perfection*



Texture  
*Collection*



DTX 01

7X3.25FT.  
8X4FT.



DTX 02

7X3.25FT.  
8X4FT.



DTX 03

7X3.25FT.



DTX 04

7X3.25FT.



*A Mirror Of Perfection*



Texture  
*Collection*



DTX 05

7X3.25FT.



DTX 06

7X3.25FT.



DTX 07

7X3.25FT.  
8X4FT.



DTX 08

7X3.25FT.  
8X4FT.



*A Mirror Of Perfection*



DTX 09

7X3.25FT.



DTX 10

7X3.25FT.



**MWUD**  
PREMIUM DOOR SKIN

Metal Door  
*Collection*





*A Mirror Of Perfection*



Metal  
*Collection*



MT 31

7X3.25FT.  
8X4FT.



MT 32

7X3.25FT.  
8X4FT.



MT 35

7X3.25FT.  
8X4FT.



MT 38

7X3.25FT.



*A Mirror Of Perfection*



Metal  
*Collection*



MT 56

7X3.25FT.



MT 11

7X3.25FT.  
8X4FT.



MT 13

7X3.25FT.  
8X4FT.



MT 52

7X3.25FT.  
8X4FT.



*A Mirror Of Perfection*



Metal  
*Collection*



MT 46

7X3.25FT.  
8X4FT.



MT 01

7X3.25FT.




MT 02

7X3.25FT.



**M'WUD**  
PREMIUM DOOR SKIN

Premium  
*Collection*







*A Mirror Of Perfection*



Premium  
*Collection*



PT 51

7X3.25FT.  
8X4FT.



PT 52

7X3.25FT.  
8X4FT.



PT 54

7X3.25FT.



PT 53

7X3.25FT.



*A Mirror Of Perfection*



Premium  
*Collection*



PT 55

7X3.25FT.



PT 01

7X3.25FT.  
8X4FT.



PT 56

7X3.25FT.



PT 57

7X3.25FT.  
8X4FT.



*A Mirror Of Perfection*



Premium  
*Collection*



PT 58

7X3.25FT.



PT 59

7X3.25FT.



PT 60

7X3.25FT.



PT 62

7X3.25FT.



*A Mirror Of Perfection*



Premium  
*Collection*



PT 45

7X3.25FT.



PT 46

7X3.25FT.



PT 47

7X3.25FT.



PT 48

7X3.25FT.



*A Mirror Of Perfection*



Premium  
*Collection*



PT 03

7X3.25FT.  
8X4FT.



PT 61

7X3.25FT.  
8X4FT.



PT 25

7X3.25FT.  
8X4FT.



PT 63

7X3.25FT.  
8X4FT.



*A Mirror Of Perfection*



Premium  
*Collection*



PT 31

7X3.25FT.  
8X4FT.



PT 32

7X3.25FT.  
8X4FT.



PT 33

7X3.25FT.  
8X4FT.



PT 34

7X3.25FT.  
8X4FT.



*A Mirror Of Perfection*



Premium  
*Collection*



PT 35

7X3.25FT.  
8X4FT.



PT 06

7X3.25FT.



PT 49

7X3.25FT.



PT 10

7X3.25FT.



Premium  
*Collection*



PT 38

7X3.25FT.



PT 65

7X3.25FT.



PT 26

7X3.25FT.  
8X4FT.







*A Mirror Of Perfection*



Premium  
*Collection*



PT 16

7X3.25FT.



PT 40

7X3.25FT.



PT 41

7X3.25FT.



PT 04

7X3.25FT.  
8X4FT.



*A Mirror Of Perfection*



Premium  
*Collection*




PT 42

7X3.25FT.



PT 36

7X3.25FT.  
8X4 FT.



PT 23

7X3.25FT.



PT 28

7X3.25FT.



# Premium Collection



PT 27

7X3.25FT.

## A Mirror Of Perfection



### TECHNICAL SPECIFICATION

PROPERTIES	UNIT	SPECIFIED VALUE				DURIAN RESULT	
		IS2046/95	BSEN438	DINEN438	ISDMS66-1	VG5	HGS
Surface Wear Resistance	REV	350	350	350	350	350 Min	500 Min
Boiling Water Resistance							
- Thickness Increase	%	12.0 Max	14.0 Max	14.0 Max	14.0 Max	8	7
- Weight Increase	%	14.0 Max	12.0 Max	12.0 Max	12.0 Max	7	6
- Appearance		Grade	4	4	4	4	5
Dimension Stability							
- MD (Machine Direction)	L-%	0.53 Max	0.625 Max	0.625 Max	0.625 Max	0.45	0.36
- CD (Cross Direction) T-%	T-%	1.01 Max	1.100 Max	1.100 Max	1.100 Max	0.65	0.55
Resistance to High Temperature & Cigarette Burns		Grade	3	3	3	3	4
Resistance to Steam	Grade	4	4	4	4	5	5
Resistance to Dry Heat							
- Glass	Grade	3	3	3	3	4	4
- Other		4	4	4	4	5	5
Resistance to Cracking	Grade	4	4	4	4	5	5
Resistance To Scratching	Newton	2.0	2.0	2.0	2.0	2.5	3.5
Small Diameter Ball Resistance	Newton	20	20	20	20	25	28
Specific Gravity	g/cm <sup>3</sup>	-	-	-	-	1.35 to 1.45	1.35 to 1.45
Resistance to Staining	Grade						
- Acetone		5	5	5	5	5	5
- Coffee		5	5	5	5	5	5
- Sodium Hydroxide 25% Solution		5	5	5	5	5	5
- Hydrogen Peroxide - 30%		4	4	4	4	5	5
- Shoe Polish		4	4	4	4	5	5
- Citric Acid-10 % solution		4	4	4	4	5	5

Grade : 5-Highest, 1-Lowest, VG5-Vertical Grade Standard, HGS- Horizontal Grade Standard

#### PRODUCT WARRANTY

Company provides warranty for the product in the form of manufacturing defects and is valid for use for normal residential purpose. In case of any visual defects, the product should not be used, out of all other reasons. Company liability will be limited to the extent of cost of production. The colour shade may vary from lot to lot. Do inspect properly before using the product. Company will not entertain any claim if the product is cut or abused in any manner for any visual or appearance, shape change / difference.

#### PRODUCT TECHNICAL DATA & SPECIFICATIONS

Type: Conventional Laminate (Other Grades Available on request)

Thickness: 1.52 mm ± 10% (As per ISI Standard)

Size: 7' x 3' - 2105mm x 915mm / 7' x 3.25' - 2120mm x 980mm / 8' x 4' - 2440mm x 1220mm

Product Standard: Comprising to

- British European Standard - BS EN 438
- American NEMA LD 3
- BIS (Bureau of Indian Standard) IS 2046
- BIS (Bureau of Indian Standard) IS 2036
- Grade P1 (Thermal/Electronic Insulation)
- ISO 4593

#### PRODUCT CARE AND MAINTENANCE

For cleaning the surface of the laminate, use dry cloth to wipe the stain. If needed use mild and non-abrasive detergent (non-acidic) or ammonia based liquid. After taking a trial on small portion. Stain remover or industrial organic solvents can be used to remove stubborn stains in case if there is no problem. One should not use wire or hard plastic brushes, and abrasives to clean the surface.

The LUSTROUS Particle and Wood collection are specially made laminates to give right optical view. The properties of these laminates are very sensitive and thus should be used only for vertical applications. While cleaning these laminates use only dry cloth or wet cloth to natural water only.


Since, conventional laminate laminate is made for interior decorations, should not be used for exterior use as there is less chance for direct exposure to sunlight or any other sort of direct heat.

It is always recommended to keep the laminate horizontal while pending the laminate. Immediate removal of pressure and vertical application should not be practiced.

Sample panel is the main reference to the finish design and hardware installation.

#### MWUD PRIVATE LIMITED

Corporate Office  
13-14 Hcf Bris nager, Ludhiana, Punjab  
Branch Office  
Whs 88/2 Kirti Nagar, Delhi  
Works  
Handa Plywood Pvt Ltd Mullanpur Road,  
Hambran Ludhiana Punjab



TRADE SAMPLE NOT FOR SALE

www.mwud.in

# INDEX



# INDEX

