Manufacturer of High Precision Capsule Molds / PinBars





HALLMARK ADVANCED TECHNOLOGY PVT. LTD.

INDIA

www.hallmark-pinbars.com



HALLMARK specializes in making of **Precision Molds and Tools**

We began in 1984, with making Tungsten Carbide Tools for the Automobil Industry for forging critical Bearing components such as - Steel Balls

- Rollers
- Caging Rivet
- Miniature Fasteners

HALLMARK regularly exports to world giants like -

Schaeffler Group (INA Bearings), Germany SKF Bearings, USA FAG Bearings, Hungary AKS plants in Japan, Indonesia, Poland, UK & USA Tsubaki Hoover, Italy KGM, Germany KRS, Germany Valette and Gaurand Industrie plants in France & Tunisia NRB Bearings Ltd plants in India & Thailand General Bearings, China



HALLMARK's latest achievement is it's highly successful

Pinbar (Capsule Molds) for Empty Hard Capsule Shells.

- Special Hardened, Plated and Highly Polished Pins requiring minimal Lubricant for making cDPI, (capsules for Dry Powder Inhalation), CT (Clear & transparent) and Veg (HPMC) Capsules
- Separate Designs for GELATIN & HPMC / VEG Capsules
- Special high volume design for Low Density formulations, to avoid Pop-ups





HALLMARK PINBARS

Sizes # 000, 00, 0, 1, 2, 3, 4, 5 and others Bar Design: 5, 6, 7, 9 Bars and others as per your drawing HALLMARK Pinbars for automatic capsule machine are in two types:

High Precision Pinbars with Pins in SS304 & Base Bars in SS410

Special Hard Plated Precision Pinbars with Pins in Hardened SS420 & Plated. Base Bars in SS410

HALLMARK Strengths

.

HALLMARK core team consists of well qualified people holding Masters from IIT Mumbai, Bachelors of Technology, MBA's, Doctors, etc

MANUFACTURING Experience

40+ years of experience in EXPORTING Super Precision Tools for Critical applications.

MAN Power

200+ work force

MANUFACTURING Area

60,000+ Square feet of manufacturing setup

FACTORY Locations

4 Locations in Mumbai, the centre of the Commercial Capital of INDIA





THE

OF Pin

Minimum 32

HRC. And 65+

Plated Pinbars

HRC in Hard

HARDNESS



Vacuum heat treated to 28 +/- 2 HRC with special German technology to ensure uniform hardness

Special interference fit and lock groove design for an extremely strong yet easy slide-in fit of the cap & body during final locking

DIAMETER

Ensured within

+/- 5 microns

OF Pin

FIRMNESS & Flexibility

The Bar undergoes rigorous " bend test " to ensure required firmness and flexibility. This is important to prevent fractures in face of accidents

ROLLING

The lock grooves on the Pins are made by 'Rolling' method, which imparts mirror finish to the groove and increase in hardness


RIVETING

Special riveting technique that prevents loosening of pins over years of use



ENSURING Precision

- Development of CNC SPMs in-house, for higher Precision and Consistency.
- Surface finish values better than Ra0.10
- Continuous online inspection of all critical dimensions during manufacturing, ensuring 100% inspection and Six Sigma accuracy / precision.



ENSURING Precision

All critical dimensions are within Six Sigma for main parameters like

- Mean (μ)
- Standard Deviation (σ)
- Process Capability (Cpk)

Parameter measured : Operation: Acceptance Criteria : Type of measurement: First Groove Diameter $\label{eq:constraint} Final Dimension \\ Cp > 1, \ \sigma < 0.003 mm \\ \mbox{Production Sample Inspection} \\$


Process Capability

μ from Actual Reading

 $\begin{array}{l} \mbox{Readings:} 1839 \\ \mbox{μ: 7.0819 (7.092 , 7.073)$} \\ \mbox{$\sigma$: 0.0025191$} \\ \mbox{C_{pk}: Min(1.072 , 1.575)$} \end{array}$



 $\begin{array}{l} \text{Readings}:: 1839 \\ \mu: \ 7.08 \\ \sigma: \ 0.0025191 \\ C_{p}: \ 1.323 \end{array}$



Select Parameters





EXPERT DESIGN Team

- Special Hardened, Plated and Highly Polished Pins requiring minimal Lubricant for making cDPI, (capsules for Dry Powder Inhalation), CT (Clear & transparent) and Veg (HPMC) Capsules
- Separate Designs for GELATIN & HPMC / VEG Capsules
- Special high volume design for Low Density formulations, to avoid Pop-ups

ADVANTAGES OF Special Hard Plated Precision pinbars

- Excellent wear resistance resulting in years of scratch free performance of the Pins. Highly useful feature for making Clear & Transparent capsules
- Minimal occurence of lubricant related issues like oil bubbles, star end, etc
- Plating Adhesion quality is ensured through strict conformance to ASTM-B-571 Standard



CONTINUAL Improvement

Dedicated R&D Division working continuously for improvement in all stages of manufacturing targeting,

ZERO rejection due to Pinbars defects

ZERO case of Tight / Non-separation or Loose Capsules in the entire lot

ZERO Pop-up issues

ZERO machine downtime

ZERO customer rejections due to Pinbar defects

100% alignment of Cap and Body parts, ensuring perfect sealing of the two parts after Capsule filling.

100% acceptance of the Capsules on High Speed Capsule Filling machines

100% Customer satisfaction



DESIGNING PINBARS for Special Capsules

Dry powder inhalation (DPI) is turning out to be a major and most preferred drug delivery Technology for the treatment of respiratory diseases. Capsule based DPI provides a uniform dose in an effective, non-invasive and simple way to deliver medication via the pulmonary route.

Capsule inner wall surface largely depends on surface finish of the pinbars.

Capsules for cDPI have to meet stringent design requirements. Effective dose delivery depends on factors which are governed by close control of capsule dimensions and surface finish.

Capsule Internal Surface:

The capsule inner wall surface is never entirely flat and formulation powder occupies little surface pores on the inside of the capsule wall. This makes it more complicated for the drug to exit the capsule. Additionally, if the lubricant content is high, adhesion between the capsule and powder occurs, reducing the process efficiency. The nature and quantity of lubricant that remains in the capsule will modify the capsule inner surface properties and affect the capsule aerosolization performance.

Plating reduces the amount of lubrication used, it also effects the surface topography of the plated surface in a way that allows it to retain a microfilm of lubrication during Capsule formation. This gives a unique advantage when making Veg, HPMC and cDPI capsules.

LOCATION Works

MUMBAI, INDIA


Works 1: (Pin Bar Division) 4/9, M.I.D.C, Saravali, Kalyan Bhiwandi Indl. Area, Bhiwandi, Thane - 421311, INDIA

Works 2: (Precision Dies & Molds Division) K-2, Ansa Industrial Estate, Saki Vihar Road, Mumbai-400072, INDIA

Works 3: (Assembly & Finishing Division) J-3, Ansa Industrial Estate, Saki Vihar Road, Mumbai-400072, INDIA

Works 4:

(Tungsten Carbide Factory): R-543, M.I.D.C., TTC Industrial Area, Rabale, Navi Mumbai ,Thane-400701, INDIA



Registered Office: K-104, Ansa Industrial Estate Saki Vihar Road, Mumbai-400072, INDIA

Contacts: Tel : +91 22 28476331, 66926671 Fax: +91 22 28475842 Email: hallmark@hallmark-engineers.com

URL: www.hallmark-pinbars.com



OVERSEAS Sales Office:







OUR Customers

> Pharmaceutical Industry








.

Automobile Bearing Industry

RECOGNITION For Excellence

- GOVERNMENT OF INDIA





HALLMARK Designing Team brings you WORLD CLASS PINBARS FOR HARD CAPSULES



4/9, M.I.D.C, Saravali, Kalyan Bhiwandi Indl. Area, Bhiwandi, Thane - 421311, INDIA | w w w . h a l l m a r k - p i n b a r s . c o m

Tel: +91 22 28476331, 66926671 | Fax: +91 22 28475842 | Email: hallmark@hallmark-engineers.com