



**SOUND
PROFOUND
BRAND**

CATALOGUE

2.1,4.1 MULTIMEDIA SPEAKER



JM-2000

SPECIFICATION :

- Drive Unit : 10.16 CM, 7.62 CM X 2
- Power Output : 35w (RMS)



JM-2916

SPECIFICATION :

- Drive Unit : 12.7 CM, 7.62 CM X 2
- Power Output : 56w (RMS)



JM-2117

SPECIFICATION :

- Drive Unit : 13.33 CM, 7.62 CM X 2
- Power Output : 56w (RMS)



JM-3170

SPECIFICATION :

- Drive Unit : 16.51 CM, 7.62 CM X 2
- Power Output : 75w (RMS)



JM-WAVE

SPECIFICATION :

- Drive Unit : 16.51 CM, 6.35 CM X 2
- Power Output : 75w (RMS)



JM-Krystal 2

SPECIFICATION :

- Drive Unit : 16.51 CM, 7.62 CM X 2
- Power Output : 90w (RMS)



JM-Krystal 4

SPECIFICATION :

- Drive Unit : 13.33 CM, 7.62 CM X 4
- Power Output : 90w (RMS)



JM-4100

SPECIFICATION :

- Drive Unit : 10.16 CM, 7.62 CM X 4
- Power Output : 50w (RMS)



JM-4301N

SPECIFICATION :

- Drive Unit : 13.33 CM, 7.62 CM X 4
- Power Output : 45w (RMS)



JM-4000

SPECIFICATION :

- Drive Unit : 10.16 CM, 7.62 CM X 4
- Power Output : 45w (RMS)



JM-4916

SPECIFICATION :

- Drive Unit : 12.7 CM, 7.62 CM X 4
- Power Output : 74w (RMS)



JM-4421N

SPECIFICATION :

- Drive Unit : 13.33 CM, 7.62 CM X 4
- Power Output : 70w (RMS)



2.1,4.1 MULTIMEDIA SPEAKER



JM-8201

SPECIFICATION :

- Drive Unit : 20.32 CM, 7.62 CM X 4
- Power Output : 120w (RMS)



JM-4170N

SPECIFICATION :

- Drive Unit : 16.51 CM, 7.62 CM X 4
- Power Output : 90w (RMS)



JM-Radiant

SPECIFICATION :

- Drive Unit : 20.32 CM, 7.62 CM X 4
- Power Output : 110w (RMS)



JM-Foxy

SPECIFICATION :

- Drive Unit : 20.32 CM, 7.62 CM X 4
- Power Output : 110w (RMS)



JM-COCO 6

SPECIFICATION :

- Drive Unit : 16.51 CM, 7.62 CM X 4
- Power Output : 80w (RMS)



JM-COCO 8

SPECIFICATION :

- Drive Unit : 20.32 CM, 7.62 CM X 4
- Power Output : 90w (RMS)

PORTABLE SPEAKERS PARTY SPEAKERS DC TROLLEY SPEAKERS



JM-CARRY ON

SPECIFICATION :

- Drive Unit : 16.51 CM
- Power Output : 20w (RMS)



JM-CARRY ON II

SPECIFICATION :

- Drive Unit : 16.51 CM
- Power Output : 20w (RMS)



JM-CARRY MINI

SPECIFICATION :

- Drive Unit : 10.16 CM, 10.16 CM X 1
- Power Output : 35w (RMS)



PORTABLE SPEAKERS PARTY SPEAKERS DC TROLLEY SPEAKERS

4



JM-Kalon

SPECIFICATION :

- Drive Unit : 10.16 CM
- Power Output : 40w (RMS)

5.25



JM-Kick 6

SPECIFICATION :

- Drive Unit : 13.33 CM, 7.62 CM
- Power Output : 40w (RMS)

5.25



JM-Kick 8

SPECIFICATION :

- Drive Unit : 13.33 CM, 7.62 CM X 2
- Power Output : 65w (RMS)

6.5



JM-Chord

SPECIFICATION :

- Drive Unit : 16.51 CM
- Power Output : 40w (RMS)

8



JM-Thump

SPECIFICATION :

- Drive Unit : 20.32 CM X 2, TWEETER X 1
- Power Output : 80 w (RMS)

6.5



JM-COSMIC 6

SPECIFICATION :

- Drive Unit : 16.51 CM X 2
- Power Output : 60 w (RMS)

8



JM-COSMIC 8

SPECIFICATION :

- Drive Unit : 20.32 CM X 2
- Power Output : 80w (RMS)

10



JM-COSMIC 10

SPECIFICATION :

- Drive Unit : 25.4 CM X 2 & DJ Haies
- Power Output : 100w (RMS)

8



JM-KLOOK

SPECIFICATION :

- Drive Unit : 20.32 CM, 2.54 CM
- Power Output : 110w (RMS)



PORTABLE SPEAKERS PARTY SPEAKERS DC TROLLEY SPEAKERS

8



JM-Sage 8

SPECIFICATION :

- Drive Unit : 20.32 CM, 7.62 CM
- Power Output : 40w (RMS)

10



JM-SAGA 10

SPECIFICATION :

- Drive Unit : 25.4 CM, 7.62 CM
- Power Output : 40w (RMS)

12



JM-SAGA 12

SPECIFICATION :

- Drive Unit : 30.48 CM, 7.62 CM
- Power Output : 50w (RMS)

15



JM-SAGA 15

SPECIFICATION :

- Drive Unit : 38.1 CM, 7.62 CM
- Power Output : 60w (RMS)

10



JM-Mega 10

SPECIFICATION :

- Drive Unit : 25.4 CM, 10.16 CM
- Power Output : 40w (RMS)

15



JM-Mega 15

SPECIFICATION :

- Drive Unit : 38.1 CM, DJ HAIES
- Power Output : 60 w (RMS)

8



JM-KENT 8

SPECIFICATION :

- Drive Unit : 20.32 CM
- Power Output : 65 w (RMS)

12



JM-KENT 12

SPECIFICATION :

- Drive Unit : 30.48 CM, 2.54 CM
- Power Output : 80w (RMS)

15



JM-KENT 15

SPECIFICATION :

- Drive Unit : 38.1 CM
- Power Output : 110w (RMS)



PORTABLE SPEAKERS PARTY SPEAKERS DC TROLLEY SPEAKERS

12



JM-Woodburn 12

SPECIFICATION :

- Drive Unit : 30.48 CM, 7.62 CM
- Power Output : 80w (RMS)

15



JM-Woodburn 15

SPECIFICATION :

- Drive Unit : 38.1 CM, 7.62 CM
- Power Output : 100w (RMS)

12

RGB LED



JM-Kelvin 12

SPECIFICATION :

- Drive Unit : 30.48 CM, 7.62 CM
- Power Output : 40w (RMS)

15

RGB LED



JM-Kelvin 15

SPECIFICATION :

- Drive Unit : 38.1 CM, 7.62 CM
- Power Output : 80w (RMS)

12



JM-Flexon

SPECIFICATION :

- Drive Unit : 30.48 CM, 7.62 CM
- Power Output : 50w (RMS)

12

RGB LED



JM-K POP

SPECIFICATION :

- Drive Unit : 30.48 CM, 7.62 CM
- Power Output : 80w (RMS)

12



JM-Clara 12

SPECIFICATION :

- Drive Unit : 30.48 CM, 7.62 CM
- Power Output : 90w (RMS)

15



JM-Clara 15

SPECIFICATION :

- Drive Unit : 38.1 CM, 7.62 CM
- Power Output : 120w (RMS)

15



JM-Clef 15

SPECIFICATION :

- Drive Unit : 38.1 CM, 7.62 CM
- Power Output : 120 w (RMS)



DJ SPEAKER SYSTEM



DJ 10

SPECIFICATION :

- Drive Unit : 25.4 CM X 2, 7.62 CM X 4
- Power Output : 110w (RMS)



DJ 12

SPECIFICATION :

- Drive Unit : 30.48 CM X 2, 7.62 CM X 4
- Power Output : 110w (RMS)



DJ 8

SPECIFICATION :

- Drive Unit : 20.32 CM X 4, 7.62 CM X 4
- Power Output : 130w (RMS)



DJ 1010

SPECIFICATION :

- Drive Unit : 25.4 CM, 7.62 CM X 4
- Power Output : 170w (RMS)



DJ 1212

SPECIFICATION :

- Drive Unit : 30.48 CM, 7.62 CM X 4
- Power Output : 180w (RMS)



DJ 12 PRO

SPECIFICATION :

- Drive Unit : 30.48 CM X 4, DJ HAIES X 2
- Power Output : 200 w (RMS)



DJ 26300

SPECIFICATION :

- Drive Unit : 38.1 CM X 2, DJ HAIES X 2
- Power Output : 180w (RMS)



DJ 18100

SPECIFICATION :

- Drive Unit : 45.72 CM X 2, DJ HAIES X 2
- Power Output : 450w (RMS)



DJ 15 PRO

SPECIFICATION :

- Drive Unit : 38.1 CM X 4, DJ HAIES X 2
- Power Output : 450w (RMS)



TOWER SPEAKER SYSTEM

5.25



JM-CARRY

SPECIFICATION :

- Drive Unit : 13.33 CM + 10.16 CM X 2
- Power Output : 60w (RMS)

6.5



JM-2900

SPECIFICATION :

- Drive Unit : 16.51 CM, 10.16 CM X 2
- Power Output : 74w (RMS)

5.25



JM-1109N

SPECIFICATION :

- Drive Unit : 13.33 CM, 10.16 CM X 2
- Power Output : 65w (RMS)

5.25



JM-1181

SPECIFICATION :

- Drive Unit : 13.33 CM, 10.16 CM X 2
- Power Output : 65w (RMS)

8



JM-1307

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM X 2
- Power Output : 80w (RMS)

8



JM-1316

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM X 2
- Power Output : 90w (RMS)

8



JM-1322

SPECIFICATION :

- Drive Unit : 20.32 CM, 7.62 CM X 2
- Power Output : 80 w (RMS)

8



JM-1325

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM X 2
- Power Output : 100w (RMS)

5.25



JM-K Party 6

SPECIFICATION :

- Drive Unit : 13.33 CM, 10.16 CM x 2
- Power Output : 90w (RMS)



TOWER SPEAKER SYSTEM



JM-CADENCE

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM X 2
- Power Output : 100w (RMS)



JM-K TOWER 8

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM X 2
- Power Output : 100w (RMS)



JM-9101

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM X 2
- Power Output : 120w (RMS)



JM-9800

SPECIFICATION :

- Drive Unit : 20.32 CM, 7.62 CM X 2
- Power Output : 80w (RMS)



JM-K 9821

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM, 2.25 X 2
- Power Output : 100w (RMS)



JM-1010

SPECIFICATION :

- Drive Unit : 25.4 CM, 10.16 CM X 2, 2.5 X 2
- Power Output : 100w (RMS)



JM-10028

SPECIFICATION :

- Drive Unit : 25.4 CM, 10.16 CM X 4
- Power Output : 180w (RMS)



JM-9884

SPECIFICATION :

- Drive Unit : 20.32 CM, 10.16 CM X 4
- Power Output : 160w (RMS)



JM-1082

SPECIFICATION :

- Drive Unit : 25.4 CM, 10.16 CM, 2.5 X 2
- Power Output : 160w (RMS)



PARTY SPEAKERS



JM-K Party 12

SPECIFICATION :

- Drive Unit : 30.48 CM X 2, TWEETER
- Power Output : 100w (RMS)



JM-K Party 8

SPECIFICATION :

- Drive Unit : 20.32 CM, MID RANGE, TWEETER X 2
- Power Output : 120w (RMS)



JM-K Party 26

SPECIFICATION :

- Drive Unit : 16.51 CM X 2
- Power Output : 40w (RMS)

SOUNDBAR SPEAKER SYSTEM



JM- BLUEMAX PRO

SPECIFICATION :

- Drive Unit : 5.71 CM X 4
- Power Output : 60w (RMS)



JM- BLUEMAX KABOOM

SPECIFICATION :

- Drive Unit : 16.51 CM
- Power Output : 120w (RMS)



SOUNDBAR SPEAKER SYSTEM

6.5



JM-BLUEMAX NEO

SPECIFICATION :

- Drive Unit : 16.51 CM & 5.7 CM X 4
- Power Output : 170w (RMS)

5



JM-SB107W

SPECIFICATION :

- Drive Unit : 12.7 CM
- Power Output : 65w (RMS)

4



JM-CLASSIC

SPECIFICATION :

- Drive Unit : 10.16 CM X 1, 5.7CM X 2
- Power Output : 40w (RMS)

5



JM CLASSIC 5WL

SPECIFICATION :

- Drive Unit : 12.7 CM + 7.62 CM X 2 + 5.7 CM X 3
- Power Output : 65w (RMS)

5.25



JM- SB-209W

SPECIFICATION :

- Drive Unit : 13.33 CM + 5 CM
- Power Output : 120w (RMS)

6.5



JM- SB-W305

SPECIFICATION :

- Drive Unit : 16.51 CM + 5 CM X 4
- Power Output : 160w (RMS)







For more details visit : www.clarionaudio.com

or, call us on: **8100-028-028**

 For easy finance options / Others

**SOUND
PROFOUND
BRAND**

 <http://facebook.com/clarionaudio>
 <https://www.instagram.com/clarionaudio/>
 <https://www.youtube.com/@clarionsoundprofound>