


**MANUFACTURERS
PARKING TILES
PAVER BLOCKS
DESIGNER TILES...**

CONTACT


Near KaluBalu Dhaba, Opp Munde Lawn
Badlapur Vangani Road, Badlapur- East
Call: 9324478785 / 9137562006

orrlee.ent.pvt@gmail.com

Chequered Tile V




OR 009




OR 0010




OR 0011




OR 0012



OR 0013



OR 0014



16" x 16"
OR 0015




16" x 16"
OR 0016


12" X 12"
Chequered Tile V



OR 001




OR 002




OR 003




OR 004




OR 005






OR 006



10" X 10"
OR 007





10" X 10"
OR 008



10" X 10"

**Chequered
Tile V**






12" X 12"

Chequered Tile V




Chequered Tile V




OR 0017




OR 0018





OR 0019



OR 0020



OR 0021









OR 0022



OR 0023



OR 0024



12" X 12"


**Chequered
Tile p**




12" X 12" Chequered Tile p




OR 0025





OR 0026




OR 0027





OR 0028




OR 0029



OR 0030




OR 0031



OR 0032



**Paver
V**





8" x 8"

**Paver
V**




Paver Block 60 MM



OR 0033



OR 0034



OR 0035



OR 0036




OR 0037



OR 0038




OR 0039



OR 0040



**Paver
V**



12" X 12"
Chequered
Tile V





**Stone
Finish
Paver**

**Thickness
60 mm**





Step Tile

Step
19"X11"
19"X13"

landing
500X300 mm

Riser
12"X6"


(Colors)
Gray
Yellow
Black
Red

Customize
Colors
Available





Grass Paver



Nali





Kerbstone

Sizes

- 12"X12"
- 12"X8"
- 12"X18"
- 12"X24"
- 18"X24"

Thickness

- 80 mm
- 100 mm
- 150 mm





Drainage
Cover
and
Frams

Sizes

- 9"X12"
- 12"X12"
- 18"X18"
- 24"X24"
- 18"X24"
- 18"X36"
- 24"X36"





「 Covering Blocks 」

Sizes

- 20 mm
- 25 mm
- 40 mm
- 50 mm
- 75 mm
- 100 mm

Slab
Bimb
Footing



CHEQUERED TILES TECHNICAL SPECIFICATIONS

PARTICULARS	SPECIFICATION AS PER IS 1237	OUR TEST RESULT (AVERAGE)
Percentag Water Absorption	Not over 10%	< 6.00%
Wet transverse strength	Not less than 3N/mm'	> 4.50N/mm'
Average wear in thickness (Abrasion)	Average wear not more than 3.5 mm	< 2.50mm
Size Variation (length + breadth)	<1mm	< 1 mm
Thickness of wearing layer	<5mm	< 5 mm
Variation in thickness of tiles	Variation not to exceed 3mm	< 3 mm
Flatness of the surface	Concavity or Convexity not to exceed 1 mm	< 1 mm

PAVER BLOCKS TECHNICAL SPECIFICATION					
R.N	TEST TYPE	THICKNESS 60MM	THICKNESS 80MM	THICKNESS 100MM	THICKNESS 120MM
		Grade 35 Mpa	Grade 45 Mpa	Grade 50 Mpa	Grade 55 Mpa
1	Tensile Splitting Strength	Individual > 2.6 Mpa	Individual > 3.6 Mpa	Individual > 4.1 Mpa	Individual > 4.6 Mpa
		Average > 2.8 Mpa	Average > 3.9 Mpa	Average > 4.5 Mpa	Average > 5.2 Mpa
2	Flexural Strength / Breaking load	3 Mpa	5 Mpa	6 Mpa	7 Mpa
3	Water Absorption	Individual < 7% & Average < 6%			
4	Abrasion	Individual < 2.5 mm & Average < 2 mm			

DIMENSION	TOLERANCE LIMIT	DIMENSION	TOLERANCE LIMIT
Width , W	+ 2 MM	Aspect ratio L/T	+ 2 MM Maximum 4
Length , L	+2 MM	Chamfer	+ 1 MM
Thickness , T	+ 2 MM	Squareness	+ 2 MM

NOTE :- FOR EXACT COLOURS , KINDLY SEE THE ACTUAL SAMPLE. DIFFERENCE IN COLOUR AND SHAPE MIGHT OCCUR OVER A PERIOD OF TIME , AS CONCRETE MADE FROM NATURAL MATERIAL . THE PIGMENTS USED FOR COLOURATION ARE NON-TOXIC , PHYSIOLOGICALLY SAFE AND THEIR INSOLUBILITY IN WATER POSES NO RISK TO THE ENVIRONMENT . THE COLOURS ARE INDICATIVE . ACTUAL COLOURS WILL NOT BE THE SAME AS THE PHOTOGRAPHY





**Near kalubalu Dhaba, Opp Munde Lawn,
Badlapur Wangani Road, Badlapur East**

Call: 9324478785 / 9137562006

Office PH :- 8433579911

orrlee.ent.pvt@gmail.com

