

**AB GARMİYON KE MAZEY LO,
BINA GARMİ KE.**




VOLTAS *FreshAir*®
Coolers

Range 2021

[Click here
to know more](#)

VOLTAS FreshAir[®] Coolers

Presenting the all new Voltas Fresh Air Coolers with the unique Smart Humidity Controller which optimizes the humidity in your room. 3 Sided Honeycomb Padding for the ultimate cooling experience. Cool large spaces easily, with Turbo Air Throw. Whatever be the type of heat outside, you stay comfortable inside.




Eco Cool Mode

Economic mode feature optimally saves water and efficiently consumes power.




Works on Inverter

Consumes less electricity and works on home inverter.



Honeycomb Cooling Pads

More durable than conventional cooling pads. They provide uniform cooling without letting dirt and sediments to get deposited.




Turbo Air Throw

Large fan size delivers powerful air throw to cool large spaces.




Remote Control

Hassle free operation and convenience of use.




Pre Soaking

Pre-cools the Honeycomb pads before starting the fan, releasing cool and fresh air.



Motor with Thermal Overload

Designed to protect the motor from damage in the event of short circuit, over-loading or overheating.




7 Hours Timer

Gives you uninterrupted sleep without having to switch the cooler on and off.



Mosquito Repellent

Protects from mosquito borne diseases by resisting mosquito breeding and keeping them away.



WiFi Controller

IOT-enabled Smart Air Cooler enables the controlling from anywhere in the world through a mobile app.



Fully Collapsible Louvers

Prevent dust and insects from entering inside the air cooler.



Smart Humidity Controller

**AB GARMİYON KE MAZEY LO,
BINA GARMİ KE.**

ROOM COOLER

NEW

WINDSOR

- Honeycomb + Wood Wool Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 12 sq mtr
- Works on Inverter
- Touch Panel**
- Eco Cool Mode*
- Pre Soak^
- Mosquito Repellent



WINDSOR 65T/85T
[*,**,^]

WINDSOR 65/85

DESERT COOLER

JETMAX

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 44 sq mtr
- Works on Inverter
- Touch Panel**
- Smart Humidity Controller#
- Eco Cool Mode*
- Pre Soak^
- Sleep Mode##
- WiFi Connect^^



JETMAX 70
DLXS
[#]

JETMAX 70E Connect
[#,##,^^]


JETMAX 54,70

JETMAX 54T,70T
[*,**,^]

DESERT COOLER

MEGA

- Honeycomb Pad for Long Lasting Cooling
- For Rooms upto 44 sq mtr
- Motor with Thermal Overload Protection
- Works on Inverter
- Eco Cool Mode*



DESERT COOLER

GRAND

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 40 sq mtr
- Works on Inverter
- Eco Cool Mode*



DESERT COOLER

VICTOR

- Wood Wool Pad for Optimum Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 43 sq mtr
- Works on Inverter



TOWER COOLER

SLIMM

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- Sleek & Compact Design
- For Rooms upto 11 sq mtr
- Works on Inverter
- Touch Panel**
- Dust Filter for Fresh Air
- Eco Cool Mode*
- Pre Soak^



SLIMM 35/45/55 SLIMM 35T/45T/55T
[*,**,^]

PERSONAL COOLER

ALFA

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 11 sq mtr
- Works on Inverter
- Dust Filter for Fresh Air
- Eco Cool Mode*



ALFA 15E/28E
[*]

ALFA 15/28

WINDOW COOLER

WIND


- Available in both Honeycomb and Wood Wool variants
- For Rooms upto 22 sq mtr
- Motor with Thermal Overload Protection
- Works on Inverter
- Trolley for Easy Mobility




WIND 45

WIND 54





		ROOM AIR COOLERS		TOWER		PERSONAL	
Model		Windsor 65 /85	Windsor 65T/85T	Slimm 35/45/55	Slimm 35T/45T/55T	Alfa 15/28	Alfa 15E/28E
Unit SAP Code		4810193/95	4810194/96	4810101/02/04	4810122/23/24	4810125/27	4810126/28
For Rooms upto*	sq.m	12	12	11	11	11	11
Air Throw Distance @0.5m/s	m	-	-	7.5	7.5	9.8	9.8
Tank Capacity	Litres	65/85	65/85	35/45/55	35/45/55	15/28	15/28
Rated Power Input- Cooling	Watt	350	350	140	140	120	120
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	81x114x44/81x122x44	81x114x44/81x122x44	32x110x32/32x118x32/32x128x32		46x66x34/46x82x34	46x66x34/46x82x34
Packing Dimensions (WxHxD)	cm	82x122x47/82x130x47	82x122x47/82x130x47	46x121.5x38/46x128.5x38/46x139.5x38		48x75x38.5/48x88x38.5	48x75x38.5/48x88x38.5
Net Weight	Kg	20/21	20/21	11.5/11.7/12	11.5/11.7/12	9/9.2	9/9.2
Gross Weight	Kg	24/25	24/25	14.7/14.9/15.2	14.7/14.9/15.2	11/11.1	11/11.1
Fan/Blower Diameter	cm	18.2	18.2	18	18	20	20
Operation		Mechanical	Electronic Touch	Mechanical	Electronic Touch	Mechanical	Electronic
Cooling Media		Wood Wool + Honeycomb	Wood Wool + Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Blower	Blower	Blower	Blower	Blower	Blower
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	Yes	No	Yes
Castor Wheels		Yes	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	Yes	Yes	Yes	Yes
Smart Humidity Control		No	No	No	No	No	No
Touch Control		No	Yes	No	Yes	No	No
Dust Filter		No	No	Yes	Yes	Yes	Yes
Eco-Cool Mode		No	Yes	No	Yes	No	Yes
Pre Soak		No	Yes	No	Yes	No	No
Wi-Fi Mode		No	No	No	No	No	No
Fully Collapsible Louvers		No	No	Yes	Yes	No	No
Mosquito Repellent		Yes	Yes	No	No	No	No
MRP	INR	15390/-, 16990/-	16990/-, 18690/-	9890/-, 10390/-, 11490/-	10990/-, 11490/-, 12590/-	7090/-, 7690/-	7690/-, 8190/-



DESERT COOLERS							
Model		JetMax 54	JetMax 70	JetMax 54T	JetMax 70T	JetMax 70 DLXS	Jetmax 70E Connect
Unit SAP Code		4810094	TBC	4810134	TBC	4810133	4810202
For Rooms upto*	sq.m	44	44	44	44	44	44
Air Throw Distance @0.5m/s	m	14	14	14	14	14	14
Tank Capacity	Litres	54	70	54	70	70	70
Rated Power Input- Cooling	Watt	185	185	185	185	185	185
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	60x107.5x45	60x113.5x45	60x107.5x45	60x113.5x45	60x113.5x45	60x113.5x45
Packing Dimensions (WxHxD)	cm	68x113x50	68x119x50	68x113x50	68x119x50	68x119x50	68x119x50
Net Weight	Kg	16	16.5	16	16.5	16.5	16.5
Gross Weight	Kg	20	20.5	20	20.5	20.5	20.5
Fan/Blower Diameter	cm	43	43	43	43	43	43
Operation		Mechanical	Mechanical	Electronic Touch	Electronic Touch	Electronic	Electronic
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Fan	Fan	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	No	Yes	Yes	Yes	Yes
Castor Wheels		Yes	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	No	No
Smart Humidity Control		No	No	No	No	Yes	Yes
Touch Control		No	No	Yes	Yes	No	No
Dust Filter		No	No	No	No	No	No
Eco-Cool Mode		No	No	Yes	Yes	No	No
Pre Soak		No	No	Yes	Yes	No	No
Wi-Fi Mode		No	No	No	No	No	Yes#
Fully Collapsible Louvers		No	No	No	No	No	No
Mosquito Repellent		No	No	No	No	No	No
Sleep Mode		No	No	No	No	No	Yes
MRP	INR	14790/-	16490/-	16490/-	17990/-	18690/-	TBD

*Terms & Conditions Apply: Due to continuous R&D, features and technical applications mentioned may vary from time to time without prior notice. Product and images are representative visuals only and may vary from actual product. *Wifi Operation through Mobile Application "Voltas Smart"



		WINDOW		DESERT COOLERS			
Model		Wind 45/45 HC	Wind 54/54 HC	Mega 60	Mega 60E	Mega 70	Mega 70E
Unit SAP Code		4810129/30	4810131/32	4810136	4810137	4810138	4810139
For Rooms upto*	sq.m	12/14	21/22	44	44	44	44
Air Throw Distance @0.5m/s	m	9.1	15.2	13.7	13.7	13.7	13.7
Tank Capacity	Litres	45	54	60	60	70	70
Rated Power Input- Cooling	Watt	240	300	175	175	175	175
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	56x46.5x50.5	65x61x51	65x96.5x51	65x96.5x51	65x96.5x51	65x96.5x51
Packing Dimensions (WxHxD)	cm	64.5x52x56.5	70x75x54	70x110x54.5	70x110x54.5	70x110x54.5	70x110x54.5
Net Weight	Kg	11.5	13	16	16	18	18
Gross Weight	Kg	14.5	15	20	20	22	22
Fan/Blower Diameter	cm	21	23	46	46	46	46
Operation		Mechanical	Mechanical	Mechanical	Electronic	Mechanical	Electronic
Cooling Media		Wood Wool/Honeycomb	Wood Wool/Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Blower	Blower	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	No	No	Yes	No	Yes
Castor Wheels		No	No	Yes	Yes	Yes	Yes
Trolley		Yes	Yes	No	No	Yes	Yes
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	No	No
Smart Humidity Control		No	No	No	No	No	No
Touch Control		No	No	No	No	No	No
Dust Filter		No	No	No	No	No	No
Eco-Cool Mode		No	No	No	Yes	No	Yes
Pre Soak		No	No	No	No	No	No
Wi-Fi Mode		No	No	No	No	No	No
Fully Collapsible Louvers		No	No	No	No	No	No
Mosquito Repellent		No	No	No	No	No	No
MRP	INR	VVV 8190/-, HC 8790/-	VVV 9890/-, HC 10390/-	15390/-	16490/-	16490/-	17590/-



		DESERT COOLERS				
Model		Grand 52/72	Grand 52E/72E	Victor 47	Victor 55	Victor 90
Unit SAP Code		4810083/85	4810140/41	4810079	4810082	4810100
For Rooms upto*	sq.m	40	40	32	43	43
Air Throw Distance @0.5m/s	m	10.7	10.7	10.7	13.7	13.7
Tank Capacity	Litres	52/72	52/72	47	55	90
Rated Power Input- Cooling	Watt	190	190	170	175	175
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Product Dimensions (WxHxD)	cm	68.5x108x46/68.5x116.5x46	68.5x108x46/68.5x116.5x46	570x795x530	61x112x42.5	61x115x42.5
Packing Dimensions (WxHxD)	cm	73x111.5x51/73.5x121x52.5	73x111.5x51/73.5x121x52.5	585x865x560	68.5x119x47.5	68.5x128x47.5
Net Weight	Kg	17.5/18	17.5/18	13	15.4	15.5
Gross Weight	Kg	21.5/22	21.5/22	15	19.1	19.6
Fan/Blower Diameter	cm	42	42	36	41	41
Operation		Mechanical	Electronic	Mechanical	Mechanical	Mechanical
Cooling Media		Honeycomb	Honeycomb	Wood Wool	Wood Wool	Wood Wool
Fan/Blower		Fan	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	No	No
Castor Wheels		Yes	Yes	Yes	Yes	Yes
Trolley		No	No	Yes	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	Yes	Yes
Smart Humidity Control		No	No	No	No	No
Touch Control		No	No	No	No	No
Dust Filter		No	No	No	No	No
Eco-Cool Mode		No	Yes	No	No	No
Pre Soak		No	No	No	No	No
Wi-Fi Mode		No	No	No	No	No
Fully Collapsible Louvers		No	No	No	No	No
Mosquito Repellent		No	No	No	No	No
MRP	INR	13190/-, 16490/-	14290/-, 17590/-	11990/-	13690/-	17590/-

*Terms & Conditions Apply: Due to continuous R&D, features and technical applications mentioned may vary from time to time without prior notice. Product and images are representative visuals only and may vary from actual product.

VOLTAS FreshAir®
Coolers

For all your cooling needs.




ROOM AIR COOLERS | **DESERT COOLERS** | **TOWER COOLERS** | **WINDOW COOLERS** | **PERSONAL COOLERS**

Voltas 24x7 Customer Service - 1860 599 4555, 9650694555.
For product registration SMS <WTA> to 9289525321

Visit us at www.myvoltas.com. To locate your nearest store,
log on to: www.myvoltas.com/store-locator

Follow us at
 My Voltas
 My Voltas
 Voltas Limited
 My Voltas
 My Voltas

CORPORATE HEAD OFFICE: Voltas Limited, Voltas House A, Dr. Babasahab Ambedkar Road, Chinchpokli, Mumbai – 400033, Phone: 022-66656666, DELHI: Voltas Limited, A-43, Mohan Co-operative Industrial Estate, Mathura Road, New Delhi – 110044, Phone: 011-66505550

 **In India, E-Waste (Management and Handling) Rules 2016 (w/ E-Waste Management Amendment Rules 2018 has been notified by the Ministry of Environment, Forests and Climate Change Government of India. Voltas Limited (Voltas) stands committed to implement E-Waste Rules. Voltas has done the up with the government authorized E-Waste Recycler for facilitating our Channel partners/customers to dispose and/or discard Electrical and Electronic Products after its end-of-life (when a product/parts is non-operational or non-repairable) and including spare parts. The authorised Recycler has expertise in assisting Voltas in fulfilling their compliances related to EPR and E-waste Management.**

Channel partners/customers need to get in touch with Voltas Call Centre (9650694555) to dispose and/or discard Electrical and Electronic Products after its end-of-life.

Channel partners/Consumers should contribute to resource conservation and prevent potential environmental problems by a simple action — the proper depositing of their old consumer durable products, its accessories or defective spares with authorized Recyclers. E-waste should be disposed of separately from the general waste stream via designated collection facilities identified by Voltas.

***Features are available in select models only. T&C Apply.**

***As a continuing policy of product innovation at Voltas, the design and specifications are subjected to change without prior notice.**