





**PLUG THE FUTURE**


PERFORMANCE	S60	S60 Beta	L25	S25
<b>Top Speed *</b>	65 Kmph	58 Kmph	25 Kmph	25 Kmph
<b>Maximum Tested Range (Eco Mode) *</b>	150 Kms	100 Kms	80 Kms	70Kms
<b>Maximum Tested Range (Power Mode) *</b>	118 Kms	85 Kms		
<b>Maximum Tested Range (Sport Mode) *</b>	85 Kms	65 Kms		
<b>Voltage Architecture</b>	60 V	60 V	60 V	48 V
<b>Motor Power (Peak)</b>	2.5KW	2 KW	250 Watts	250 Watts
<b>Motor Type</b>	BLDC Hub Motor	BLDC Hub Motor	BLDC Hub Motor	BLDC Hub Motor
<b>Controller</b>	SINE Wave	SINE Wave	SINE Wave	SINE Wave
<b>Over Load protection</b>	YES	YES	YES	YES
<b>Over Voltage Protection</b>	YES	YES	YES	YES
<b>Over Current Protection</b>	YES	YES	YES	YES
<b>Riding Modes</b>	Eco-Power-Sport	Eco-Power-Sport	Eco-Power-Sport	Eco-Power-Sport
<b>Top Speed (ECO Mode) *</b>	Upto 30 Kmph	Upto 30 Kmph	25 Kmph	25 Kmph
<b>Top Speed (Power Mode) *</b>	Upto 42 Kmph	Upto 40 Kmph		
<b>Top Speed (Sport Mode) *</b>	Upto 65 Kmph	Upto 58 Kmph		

PLUG THE FUTURE

BATTERY				
Battery Type	Lithium-ion, NMC, CAN enabled	Lithium-ion, NMC, CAN enabled	Lithium-ion, NMC	Lithium-ion, NMC
Installed capacity	3 KW	2.1 KW	1.56 KW	1.34 KW
Battery positioning	Detachable	Detachable	Detachable	Detachable
CHARGER				
Charging method	On vehicle, on battery	On vehicle, on battery	On vehicle, on battery	On vehicle, on battery
Smart Charger	900 Watts	600 Watts	400 Watts	320 Watts
Charging Time (0-80%) *	2-2.5 hrs	3-3.5 hrs	3-3.5 hrs	3.5-4 hrs
Charging Time (0-100%) *	3-4 hrs	4-5 hrs	4-5 hrs	4-5 hrs
Charger type	Auto cut off	Auto cut off	Auto cut off	Auto cut off
DESIGN				
Suspension Front	Telescopic Forks	Telescopic Forks	Telescopic Forks	Telescopic Forks
Suspension Rear	Damper Coil Spring	Damper Coil Spring	Damper Coil Spring	Damper Coil Spring
Brakes -Front	CBS-Drum	CBS-Drum	Disc	Disc
Brakes-Rear	CBS-Drum	CBS-Drum	Disc	Drum
Regenerative Braking	Yes, with adjustable settings	Yes, with adjustable settings	Yes, with adjustable settings	Yes, with adjustable settings
Display type	Digital	Digital	Coloured Digital LED	Coloured Digital LED
Battery Level Indication	Yes	Yes	Yes	Yes
Trip Meter	Yes	Yes	Yes	Yes
Parking switch symbol	Yes	Yes	Yes	Yes
Brake Sensor symbol	Yes	Yes	Yes	Yes
Wheel Size (F&R)	10 inches	10 inches	10 inches	10 inches
Tyre Size (Front)	90/100-10	90/100-10	3.00-10	3.00-10
Tyre Size (Rear)	90/100-10	90/100-10	3.00-10	3.00-10
Headlight	Bulb	Bulb	LED	LED
Tail Light	LED	LED	BULB	LED
VEHICLE DIMENSION				
Vehicle Dimension	1825*700*1195 mm	1825*700*1195 mm	1900*700*1130 mm	1850*700*1130m m
Leg Space	350 mm	350 mm	287 mm	350 mm
Ground Clearance	170 mm	170 mm	120 mm	150 mm
Seat height	780 mm	780 mm	787 mm	800 mm
Loading Capacity	250 Kgs	250 Kgs	150 Kgs	150 Kgs
Boot Space	Yes	Yes	Yes	Yes
IP RATING				
Motor	IP 67	IP 67	IP 67	IP 67

<b>Controller</b>	IP 65	IP 65	IP 67	IP 67
<b>Battery</b>	IP 67	IP 67	IP 67	IP 67
<b>Reverse Mode</b>	Yes	Yes	Yes	Yes
<b>WIRING HARNESS</b>				
<b>Material</b>	Copper	Copper	Copper	Copper
<b>Insulation Material</b>	Teflon	Teflon	PVC	PVC
<b>Gauge</b>	4 Sq. mm	4 Sq. mm	4 Sq. mm	4 Sq. mm
<b>Side stand sensor</b>	Yes	Yes	Yes	Yes
<b>PLASTIC PARTS</b>				
<b>Front Panel</b>	PP- 3 mm	PP- 3 mm	ABS- 2.5 mm	ABS- 2.5 mm
<b>Head Cover</b>	PP- 3 mm	PP- 3 mm	ABS- 2.5 mm	ABS- 2.5 mm
<b>Front mud guard</b>	PP- 2.5 mm	PP- 2.5 mm	ABS- 2 mm	ABS- 2 mm
<b>Back Shell</b>	PP- 3 mm	PP- 3 mm	ABS- 2.5 mm	ABS- 2.5 mm
<b>Rear Mud Guard</b>	PVC- 2.5 mm	PVC- 2.5 mm	PVC- 2 mm	PVC- 2 mm
<b>Foot Board</b>	PP- 3+3 = 6 mm	PP- 3+3 = 6 mm	PVC- 2+2 = 4 mm	PVC- 2+2 = 4mm
<b>Dash Board</b>	PP- 3 mm	PP- 3 mm	PVC- 2.5 mm	ABS- 2.5 mm
<b>WARRANTY</b>				
<b>Battery</b>	3 Years or 40,000 Kms	3 Years or 40,000 Kms	3 Years or 40,000 Kms	3 Years or 40,000 Kms
<b>Motor</b>	3 Year or 25,000 km	3 Year or 25,000 km	3 Year or 20,000 km	3 Year or 20,000 km
<b>Chassis</b>	3 Year	3 Year	3 Year	3 Year
<b>Charger</b>	1 Year	1 Year	1 Year	1 Year
<b>Controller</b>	1 Year	1 Year	1 Year	1 Year
<b>Colours Available</b>				
<b>Road Side Assistance</b>	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>
<b>RTO Registration</b>	<b>Yes, Required</b>	<b>Yes, Required</b>	<b>Not Required</b>	<b>Not Required</b>

\*T&C Apply. Range, speed, and charging time mentioned are measured under favourable testing conditions. Practical range, speed, and charging time may vary as per road conditions, acceleration and braking, battery charger and electric supply voltage, battery ageing, tyre pressure, vehicle maintenance, etc.