

RAJKAMAL OPTICS

VISION WORLD

ALL OF OPTICIANS NEEDS



Authorised Dealers of



| BIFOCALS | HC | | HMC | | PG | | | |
|------------------------|-----|-----|-----------|------|--------|-----|-----|-----|
| | REG | DUR | REG | POLY | HC | | HMC | |
| | | | | | Normal | COR | | |
| KT +3 SPH | 60 | 100 | 120 | 200 | 150 | 120 | 180 | 200 |
| KT +4 SPH | 120 | 160 | - | - | - | 300 | - | - |
| KT -2 SPH | 70 | 100 | 140 | - | 180 | 160 | 200 | 240 |
| KT -3 SPH | 100 | 140 | 180 | - | - | 200 | - | - |
| KT -4 SPH | 120 | 180 | - | - | - | 280 | - | - |
| KT -5/+5 SPH | 180 | - | - | - | - | 350 | - | - |
| KT -6/+6 SPH | 220 | - | - | - | - | - | - | - |
| KT CYL +2 *180 / -2*90 | 80 | - | 180 | - | 200 | 200 | 240 | - |
| KT CYL +3 *180 / -3*90 | 120 | - | 240 | - | 300 | 300 | - | - |
| KT CYL -4 *90 | 180 | - | - | - | - | - | - | - |
| KT CYL +2*90 | 100 | - | 220 | - | 260 | - | - | - |
| KT CYL +3*90 | 140 | - | - | - | - | 300 | - | - |
| KT CYL +2*45/135 | 100 | - | 240 | - | - | 280 | - | - |
| KT CYL +3*45/135 | 140 | - | - | - | - | 350 | - | - |
| KT +2+1 *180 | 100 | - | 220 / 240 | - | 280 | 260 | 300 | 300 |
| KT +3+1 / +2+2 *180 | 120 | - | 300 | - | 350 | 300 | - | - |
| KT +3+2 *180 | 160 | - | - | - | - | - | - | - |
| KT -2-1 *90 | 120 | - | 260 | - | - | 300 | - | - |
| KT -3-1 / -2-2 *90 | 140 | - | 300 | - | - | 360 | - | - |
| KT -4-1 / -3-2 *90 | 200 | - | - | - | - | - | - | - |
| KT -5-1 / -2-3 *90 | 220 | - | - | - | - | - | - | - |
| KT +/-2 *90 | 140 | - | - | - | - | 350 | - | - |
| KT +/-3 *90 | 160 | - | - | - | - | 450 | - | - |
| KT +/-4 *90 | 200 | - | - | - | - | - | - | - |
| KT +2+1 *90 | 120 | - | 300 | - | - | 350 | - | - |
| KT +3+1 / +2+2 *90 | 160 | - | 350 | - | - | 400 | - | - |
| KT -2-1 *180 | 140 | - | - | - | - | 400 | - | - |
| KT -3-1 / -2-2 *180 | 180 | - | - | - | - | - | - | - |
| KT +2+1 *45/135 | 140 | - | - | - | - | 350 | - | - |
| KT +3+1 / +2+2 *45/135 | 160 | - | - | - | - | - | - | - |
| KT -2-1 *45/135 | 160 | - | - | - | - | 400 | - | - |
| KT -3-1 / -2-2 *45/135 | 180 | - | - | - | - | - | - | - |
| KT +/-2 *45/135 | 200 | - | - | - | - | - | - | - |

| PROGRESSIVE | HC | | HMC | | | | | PG | | | | | | | |
|----------------------------|-----------|-----|-----------|-------------|-----------|-----------|------------------|-----------------------|------------------|--------|-----|--------|-----|------------------|-----|
| | REG | DUR | REG | OMB / COTOR | POLY | Blue Cut | B/C Blue coating | Poly B/C Blue coating | O2 B/C dual coat | HC | | HMC | | B/C Blue coating | |
| | | | | | | | | | | Normal | COR | Normal | COR | | |
| PROG +3/ADD | 120 / 140 | 200 | 170 / 200 | 250 | 550 / 650 | 250 / 300 | 300 / 350 | 800 | - | - | 300 | 350 | 350 | 400 | 650 |
| PROG +4/ADD | 300 | | 350 | | | | | | | | | | | | |
| PROG -2 / ADD | 180 / 220 | 260 | 220 / 280 | 300 | - | 360 | 450 | - | - | 350 | 400 | 400 | 450 | - | - |
| PROG -3 / ADD | 250 | 300 | 300 | - | - | - | - | - | - | - | - | - | 450 | - | - |
| PROG -4 / ADD | 350 | 450 | 400 | - | - | - | - | - | - | - | - | - | - | - | - |
| PROG +2 *180 | 250 | 280 | 250 / 300 | - | - | 400 | 500 | - | - | 400 | 450 | 450 | 500 | - | - |
| PROG +3 *180 | 350 | | 350 / 400 | - | - | - | - | - | - | - | - | - | - | - | - |
| PROG +2 *90 | 300 | 350 | 350 / 400 | - | - | - | - | - | - | - | - | - | 700 | - | - |
| PROG COMP +2+1*180 | 300 | 350 | 330 / 380 | - | - | 500 | - | - | - | 500 | 550 | 550 | 600 | - | - |
| Digital PROG +3/ADD | 400 | | 450 | - | - | - | - | - | 700 | 750 | 850 | 850 | - | - | - |

| SPECIAL PRODUCTS | | | | | | | | | | |
|-----------------------------------|-------|-------|-------|--------|----------------|--------|--------|--------|--------|--------|
| PRODUCT TYPE | -6/-2 | -6/-4 | -8/-2 | -10/-2 | -12/-2 & 15SPH | -10/-4 | -12/-4 | -20/-2 | -20/-4 | -30SPH |
| XTRALITE 1.6 MR8 HMC | 450 | 450 | 450 | | | 450 | 780 | | | |
| OPTOLUX 1.6 MR8 HMC | | | 300 | | | 450 | 2200 | | | |
| OPTOLUX 1.67 MR7 HMC | | 700 | | | | 1000 | 2200 | 2200 | 2400 | 3600 |
| OPTOLUX 1.71 HMC | | | | 1800 | | 2400 | 3000 | | | |
| 1.67 NORMAL | | 450 | | | 500 | 800 | 1800 | 1800 | 2000 | |
| 1.67 MR7 O2 GREEN COAT | | 700 | | | 750 | 1100 | 2600 | | | |
| 1.67 MR7 O2 DUAL COAT | | 800 | | | 850 | 1200 | | | | |
| CRYSTAL BLUE HMC SV | 140 | | | | | | | | | |
| MIRROR COAT (6 COLOURS) | 850 | | | | | | | | | |
| POLORISED (3 COLOURS) UP TO 4 SPH | 700 | | | | | | | | | |
| OPTOLUX 1.67 PG BC | | 1800 | | | | | | | | |
| OPTOLUX 1.61 PG BC | | 1200 | | | | | | | | |
| EASY DRIVE 1.61 | 650 | | 650 | | | | | | | |
| EASY DRIVE 1.56 | 450 | | 450 | | | | | | | |
| LENTI KT (+14/ADD 3) | | | | | | 500 | | | | |

| PRODUCT TYPE | +10 SPH | +12 SPH | +14 SPH | +16 SPH | +18 SPH | +20 SPH | +24 SPH | +10/+2 | +12/+2 | +14/+2 |
|--------------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|
| LENTI HC SV | 180 | 220 | 280 | 350 | 500 | 650 | 900 | 300 | 360 | 400 |

1. FOR LEFT / RIGHT DIFFERENT POWER EXTRA CHARGES WILL BE APPLICABLE FOR ALL PROGRESSIVE PRODUCTS.
2. ALL RANGE OF HI INDEX, SV & KT GLASS RANGE IS ALSO AVAILABLE WITH US.
3. PG & WT glass blanks full range available

CONTACT DETAILS:
9677192122 | 8144411221 |
9385390733

| | DIA | HC | HMC | HMC+ |
|--|----------|-----|-----|------|
| SCRATCH GUARD 56 | | | | |
| 0 to -8/-2, +4/0, +3/+2 | 70/65 | 140 | -- | -- |
| upto -6/-4 | 70 | 220 | -- | -- |
| upto +4/+4 (Total Power 4.00) | 65 | 240 | -- | -- |
| upto +1.75/-2 | 65 | 160 | -- | -- |
| upto +3.75/-4 | 65 | 240 | -- | -- |
| HUES 56 (TINTABLE) | | | | |
| Single Vision | | | | |
| 0 to -8/-2, +4/+1, +3/+2 | 70/65 | 155 | -- | -- |
| upto -6/-4 | 70 | 260 | -- | -- |
| upto +1.75/-2 | 65 | 170 | -- | -- |
| upto +3.75/-4 | 65 | 295 | -- | -- |
| RADIATOR 56 Green | | | | |
| 0 to -4/-2 | 70 | -- | 195 | -- |
| upto -8/-2 | 70 | -- | 220 | -- |
| upto -10/-2 | 70 | -- | 325 | -- |
| upto -6/-4 | 70 | -- | 290 | -- |
| upto -8/-4 | 70 | -- | 360 | -- |
| 0 to +4/+2 | 65 | -- | 220 | -- |
| upto +2/+3 | 65 | -- | 325 | -- |
| upto +1.75/-2 | 65 | -- | 230 | -- |
| upto +3.75/-4 | 65 | -- | 325 | -- |
| EGALITE 56 ASP | | | | |
| 0 to -8/-2, +4/0, +3/+2 | 70/65 | -- | -- | 280 |
| upto +1.75/-2 | 65 | -- | -- | 310 |
| EGALITE 56 ASP BLUE BLOCK | | | | |
| 0 to -6/-2, +4/0, +3/+2 | 70/65 | | | 350 |
| upto +1.75/-2 | 65 | | | 380 |
| EGALITE 61 ASP BLUE BLOCK | | | | |
| 0 to -10/-2, +4/0, 0/+2, +3/+1 | 70 | -- | -- | 580 |
| upto -8/-3, -6/-4 | 70 | -- | -- | 730 |
| upto +1.75/-2 | 70 | -- | -- | 620 |
| upto +3.75/-4 | 70 | -- | -- | 780 |
| EGALITE 67 ASP BLUE BLOCK | | | | |
| -2 to -8/-2 | 70 | -- | -- | 880 |
| upto -12/-2, -15 | 70 | -- | -- | 880 |
| upto -10/-4 | 70 | -- | -- | 1080 |
| CORDIAL UV (1.56) ESPF 10 | | | | |
| 0 to -6/-2, +3/+1, 0/+2, upto +1.75/-2 | 70/65 | -- | -- | 350 |
| ADVANCED CORDIAL UV 420 DUAL COAT ESPF 15 | | | | |
| upto -6/-2, 0/+2, +2/+1, upto +1.75/-2 | 70/65 | -- | -- | 400 |
| BLUE RAY 56 | | | | |
| 0 to -4/-2, +2/+1, upto +1.75/-2 | 70/65 | -- | 400 | -- |
| TERCO (POLY) | | | | |
| 0 to -6/-2, +4/-2 | 70/65 | 350 | 430 | -- |
| upto -8/+2 (Total Power -8) | 70 | 410 | 490 | -- |
| upto -4/-3 | 70 | 730 | 830 | -- |
| upto +1.75/-2 | 65 | 380 | 460 | -- |
| upto +2.75/-3.0 | 65 | 780 | 880 | -- |
| TERCO HYDRO (POLY) | | | | |
| 0 to -6/-2, +3/+1, +4/-2, +1.75/-2 | 70/65 | -- | -- | 550 |
| SLEEK 67 Green | | | | |
| -3 to -10/-2 | 80/75/70 | -- | -- | 650 |
| upto -12/-2, -15 | 80/75/70 | -- | -- | 750 |
| -10/-4 | 80/75/70 | -- | -- | 970 |

| | DIA | HC | HMC | HMC+ | BLUE CUT HMC+ |
|---|----------|------|------|------|---------------|
| CHEMI 1.60 Green (MR8) | | | | | |
| 0 to -8/-2 | 75/70 | -- | 588 | -- | |
| upto -10/-2 | 75/70 | -- | 628 | -- | |
| upto -8/-3, -5/-4 | 75/70 | -- | 758 | -- | |
| CHEMI 1.67 ASP Green (MR7) | | | | | |
| -2 to -8/-2 | 80/75/70 | -- | 1200 | -- | |
| upto -12/-2, -15 | 80/75/70 | -- | 1250 | -- | |
| upto -10/-4 | 80/75/70 | -- | 1350 | -- | |
| CHEMI 1.74 ASP Green (MR174) | | | | | |
| -3 to -8/-2 | 75/70 | -- | -- | 2750 | |
| upto -12/-2, -15 | 75/70 | -- | -- | 2850 | |
| upto -10/-4 | 75/70 | -- | -- | 3050 | |
| VERSO (PROG) | | | | | |
| DV SPH 0 to +3 | 70 | 330 | 430 | -- | |
| DV SPH -0.25 to -3 | 70 | 380 | 480 | -- | |
| DV CYL upto ±2 180/90/Strt/Rev. Axis | 70 | 500 | 600 | -- | |
| VERSO ADVANCED (PROG) | | | | | |
| DV SPH 0 to +3 | 70 | 460 | -- | 560 | 720 |
| DV SPH -0.25 to -3 | 70 | 510 | -- | 610 | 770 |
| DV CYL ±2 180/90/Strt/Rev., COMP+2/+1 180, -2/-1 90 | 70 | 620 | -- | 720 | 880 |
| VERSO ADVANCED (PROG) DUAL COAT ESPF 15 | | | | | |
| DV SPH 0 to +3 | | | | | 800 |
| DV SPH -0.25 to -3 | 70 | -- | -- | -- | 850 |
| DV CYL ±2 180/90/Strt/Rev., COMP+2/+1 180 | 70 | -- | -- | -- | 960 |
| VERSO ADVANCED (PROG) DRIVEX | | | | | |
| DV SPH 0 to +3 | 70 | -- | -- | -- | 850 |
| DV SPH -0.25 to -3 | 70 | -- | -- | -- | 900 |
| DV CYL ±2 180/90/Strt/Rev., COMP+2/+1 180 | 70 | -- | -- | -- | 1010 |
| VERSO DIGITAL (PROG FREE FORM) | | | | | |
| DV SPH 0 to +/-2 | 70/65 | -- | -- | 1200 | |
| DV CYL ±2 180/90/Strt, COMP+2/+1 180 | 70/65 | -- | -- | 1200 | |
| SUN VISION (PHOTOCHROMIC) | | | | | |
| Single Vision Grey | | | | | |
| 0 to -6/-2, +4, +2/+1 | 70/65 | 320 | 420 | -- | |
| upto -8/-2 | 70 | 320 | -- | -- | |
| upto +3/+2 | 65 | 350 | 450 | -- | |
| upto -6/-4 | 70 | 450 | 550 | -- | |
| upto +1.75/-2 | 65 | 350 | 450 | -- | |
| upto +3.75/-4 | 65 | 500 | 600 | -- | |
| Single Vision Brown | | | | | |
| 0 to -4/-2, +2/+1 | 70/65 | 430 | 530 | -- | |
| upto +3/+2 (Total Power +3) | 65 | 500 | 600 | -- | |
| upto +1.75/-2 | 65 | 550 | 650 | -- | |
| VERSO PROG SUNVISION GREY | | | | | |
| DV SPH 0 to 3 | 70 | 750 | 850 | -- | |
| DV SPH -0.25 to -3 | 70 | 850 | 950 | -- | |
| DV CYL upto ±2/180/90/Strt Axis | 70 | 950 | 1050 | -- | -- |
| VERSO ADVANCED PROG SUNVISION GREY VII | | | | | |
| DV SPH 0 to +3 | 70 | 900 | -- | 1000 | |
| DV SPH -0.25 to -3 | 70 | 1000 | -- | 1100 | |
| DV CYL ±2 180/90/Strt/Rev., COMP+2/+1 180, -2/-1 90 | 70 | 1100 | -- | 1200 | |
| CHROMA FAST (PHOTOCHROMIC) | | | | | |
| -4/-2, +3/0, 0/+2, +2/+1, +1.75/-2 | 70/65 | -- | 500 | -- | |

* HMC+ Super Hydrophobic Lens

* All price are in Rs. per pair (Taxes Included) * Freight extra.

Workshop Equipment

Popular Edgers




Model No. 2 - Std.

A fitter's No. 1 choice. India's most successful and trusted hand edger for over 30 years. Our grinding wheels give an unmatched quality along with long life. Popular, Groovomatic, Master and Auto Friend family of edgers comprise of 12 different models to satisfy your every edging need.

| Model | Price Incl. GST | Wheel | Price Incl. GST |
|------------------------------------|-----------------|----------|-----------------|
| • Model No. 1 - Eco. (L1E1M01E) | 9,600/- | 100 X 15 | 3,000/- |
| • Model No. 1 - Std. (L1E1M01S) | 10,200/- | 100 X 16 | 3,900/- |
| • Model No. 2 - Eco. (L1E1M02E) | 10,400/- | 125 X 15 | 4,000/- |
| • Model No. 2 - Std. (L1E1M02S) | 11,200/- | 125 X 16 | 4,850/- |
| • Model No. 3 - Std. (L1E1M03S) | 12,300/- | 125 X 18 | 5,850/- |
| • Model No. 4 - Std. (L1E1M04S) | 13,500/- | 125 X 20 | 7,100/- |

Groovomatic Models



Groovomatic models comes with a well balanced bevel (V-groove) wheel. This is required for perfect fitting and finish just like that of an Auto Edger.



GROOVOMATIC WHEEL

| Model | Price Incl. GST | Wheel | Price Incl. GST |
|-----------------------------|-----------------|------------|-----------------|
| • Model No. 5 (L1E1M05S) | 13,500/- | 100 X 20 V | 6,650/- |
| • Model No. 6 (L1E1M06S) | 14,900/- | 125 X 20 V | 8,100/- |

Workshop Equipment

Master Edger

Master Edger comes with dual wheels. One roughhand the other smooth with a bevel (V) groove, to satisfy your every need.



Model No. 8

| Model | Price Incl. GST | Wheel | Price Incl. GST |
|----------------------------------|-----------------|--------------------------|---------------------------|
| • Model No. 7 (L1E1M07S) | 16,900/- | 100 X 10 R 100 X 20 V | 2,600 6,650 |
| • Model No. 8 (L1E1M08S) | 19,000/- | 125 X 10 R 125 X 20 V | 3,500 8,100 |
| • Model No. 8 - PC (L1E1M08P) | 24,000/- | 125 X 15 R 125 X 20 V | 10,000 PC 8,100 |

Auto Friend Models

This comes with a combination of rough wheel & smooth wheel.

| Model | Price Incl. GST | Wheel | Price Incl. GST |
|------------------------------|-----------------|--------------------------|-----------------|
| • Model No. 9 (L1E1M09S) | 13,900/- | 100 X 10 R 100 X 16 S | 2,600 3,900 |
| • Model No. 10 (L1E1M10S) | 15,600/- | 125 X 10 R 125 X 16 S | 3,500 4,850 |

Double Edger



Model No. 11-12

Heavy Duty Edger

Double Edger is heavy duty edger machine on which two large wheels are mounted on both the ends of a strong electric motor. Most suitable for continuous and heavy work load.

| Model | Price Incl. GST | Wheel | Price Incl. GST |
|------------------------------|-----------------|--------------------------|-----------------|
| • Model No. 11 (L1E1M11S) | 21,400/- | 140 X 16 R 140 X 16 S | 5,200 5,750 |
| • Model No. 12 (L1E1M12V) | 24,600/- | 140 X 16 R 140 X 20 V | 5,250 8,700 |

Workshop Equipment

Decent Edger



Decent Edger is also a heavily built machine. The motor and the wheel are suitable for handling large work output.

Model No. 13

| Model | Price Incl. GST | Wheel | Price Incl. GST |
|---------------------------|-----------------|------------|-----------------|
| • Model No. 13 (L1E1M13S) | 25,500/- | 150 X 12 R | 4,900 |
| | | 150 X 24 V | 10,800 |

Cutter



CR Cutter(CC01)



CR / Glass Cutter(CC03)

CR cutter is a machine to precut any organic lens prior to final finish. The CR/Glass cutter is equipped with cooling water facility required to cut a glass lens.

| Model | Price Incl. GST |
|---|-----------------|
| • CR Cutter (L3W1CC01) | 6,200/- |
| • CR Cutter with Suction - to reduce dust emission (L3W1CC02) | 8,000/- |
| • CR & Glass Cutter (L3W1CC03) | 6,900/- |

Combo



CB02

This custom made machine houses a hand edger of your choice combined with a CR / Glass cutter. This unique combination allows you to save on time, space and money.

| Model | Price Incl. GST | Features |
|------------------------|-----------------|-------------|
| • Combo M2 (L3E1CB02) | 15,600/- | R X S ✓ V X |
| • Combo M6 (L3E1CB06) | 19,000/- | R X S ✓ V ✓ |
| • Combo M8 (L3E1CB08) | 22,500/- | R ✓ S ✓ V ✓ |
| • Combo M10 (L3E1CB10) | 19,300/- | R ✓ S ✓ V X |

Heavy Duty Edger

Workshop Equipment

Special Purpose Edger

This compact machine popularly used in watch industries, comes with a 100 mm /4 inch diameter grinding wheel and a 0.5 hp motor.



Mini Marvel Model

| Model | Price Incl. GST | Wheel | Price Incl. GST |
|-----------------------------------|-----------------|----------|-----------------|
| • Mini Marvel Model -1 (L1E1MM1S) | 8,300/- | 100 X 16 | 3,900/- |
| • Mini Marvel Model-1e (L1E1MM1E) | 7,600/- | 100 X 15 | 3,000/- |

Frame Heater



FH02



FH03

Optilab's frame heater provide optimum heating speed and temperature for handling any plastic frame. FH02 comes with strong metal body. FH03 has a compact and a trendy design.

| Model | Price Incl. GST |
|---------------------------|-----------------|
| • Frame Heater (L3W4FH02) | 2,500/- |
| • Frame Heater (L3W4FH03) | 2,200/- |

Supra Groover



OG02

Drilling Machine



0002

| Model | Price Incl. GST |
|-------------------------------|-----------------|
| • Supra Groover (L3W6OG02) | 7,800/- |
| • Drilling Machine (L3W6OD02) | 8,800/- |

Workshop Equipment

Designer Edger



The Designer Edger lets you create a trendy 3-piece lens design by helping you manually grind any desired shape (like a fish or a star, etc). With its specially designed attachment you can also get mirror finish your job.

| Model | Price Incl. GST |
|-----------------------------|-----------------|
| • Designer Edger (L1E1DE01) | 10,000/- |

Photolite



Photolite is used to check any photo chromatic lens. PL03 comes with a compartment for placing the goggles and a open space for the lens.

| Model | Price Incl. GST |
|-------------------------------|-----------------|
| • PL03 (Blue Tube) (L3W3PL03) | 2,100/- |
| • PL04 (UV LED) (L3W3PL04) | 1,600/- |

Electrojoin



These are essential tools for repairing a metal frame. Only Solder machine (EN02) is useful for soldering rim of a frame and with Inner Joint (EN01) can repair the joint of frame. EN03 can perform both these functions.

| Model | Price Incl. GST |
|---|-----------------|
| • EN01 (Inner Joint Repair) (L3W2EN01) | 3,000/- |
| • EN02 (Soldering Work Only) (L3W2EN02) | 6,100/- |
| • EN03 (Both) (L3W2EN03) | 7,900/- |

Refraction Aids



Distance Vision Drum with Remote
L2R1DV01



Premium Trial Set (RB02)



Lensmeter
L2R1RT01



Retinoscope L2R1RT01



Progressive Mark Finder
L2R1PMF1



Slit Lamp

| Model | Price Incl. GST |
|---|-------------------------------|
| • Indian Slit Lamp (2 Step) L2R1SL02 | 40,000/- |
| • Indian Slit Lamp (3 Step) L2R1SL03 | 70,000/- |
| • Indian Slit Lamp (5 Step) L2R1SL05 | 95,000/- |
| • Distance Vision Drum (Remote) L2R1DV01 | 12,000/- |
| • Distance Vision Drum (Cord) L2R1DV02 | 2,000/- |
| • Distance Vision Drum (Filter test) L2R1DV03 | 3,100/- |
| • Lensmeter (Dot & Cross Target) L2R1LM01 | 11,700/- |
| • Lensmeter (Dot Corona) L2R1LM02 | 9,000/- |
| • Retinoscope L2R1RT01 | 2,200/- |
| • Trial Frame (Indian) L2R1TF01 | 500/- |
| Regular Aperture | 6,600/- (SG01) 7,200/- (RB01) |
| Premium Set | 13,500/- (RB02) |
| • Progressive Mark Finder L2R1PM01 | 2,300/- |

NEO

Patterned Auto Edger



Optika's Centering Device CD-7



Optika's Demo Drill DD-1



Mirror Finish Wheel



V Groove / Flat Wheel



Glass-Rough Wheel



CR / PC Rough Wheel

India's first and only indigenous patterned auto edging system. Neo incorporates Japanese design and technology at an affordable rate.

Salient Features

- Auto chucking with adjustable pressure to ensure zero breakage of lens and no axis slipping.
- 4 wheels for roughing, flat finishing, V grooving, mirror finishing.
- Weight adjustment mechanism for delicate jobs.
- V beveling attachment for high curvature lens.
- High grade single piece aluminum chassis for high strength, less vibrations and longer service life.

| Model | Price Incl. GST |
|--|-----------------|
| • Neo (L1E3NE01) | 2,06,500/- |
| With standard accessories, Centering device CD-7 and Demo drill DD-1 | |

Inter - 1

Semi Auto Edger



Optika's Centering Device CD-7



Optika's Demo Drill DD-1

This semi automatic edger will help you to give the perfect fitting of the lenses. Inter-1 is so simple to use, that any one can easily operate it.

Salient Features

- Sturdy design to minimize vibrations.
- All mechanical parts and no electrical sensors means almost zero maintenance cost.
- Simple and easy to operate.
- Pressure setter in chucking mechanism for delicate jobs.
- Fills the gap between a hand (manual) edger and an auto edger.

| Model | Price Incl. GST |
|-------------------------------|-----------------|
| • Inter 1 (L1E2SE01) Glass/CR | 72,000/- |
| • Inter 1 (L1E2SE02) CR/PC | 76,500/- |

Auto Edger Wheels

Rough / Finish / Polish / Bevel / Groove



Optilab has pioneered the manufacturing of metal bonded Diamond wheels for optical lens edging in India. Strict quality control and a relentless quest for improvement in all the aspect of use ensures total product satisfaction.

| Model | Wheel Size (mm) | Price Incl. GST |
|---------------------------------------|-----------------|-----------------|
| (A) Inter (Semi Auto) | | |
| • Rough (Glass/CR) | 99 X 15 | 5,300/- |
| • Rough (CR/PC) | 99 X 15 | 9,100/- |
| • Flat | 100 X 12 | 4,400/- |
| • Finish Bevel | 103 X 13 | 7,200/- |
| (C) Neo (Patterned Auto Edger) | | |
| • CR/PC Rough | 117 X 17 | 9,900/- |
| • Glass Rough | 117 X 17 | 6,600/- |
| • V Groove Wheel | 119 X 22 | 11,800/- |
| • Mirror Finish | 119 X 12 | 9,100/- |

We make diamond wheels / tools for any other machine (Indian or imported) or for any specific requirement as well.
Price available on request.

NOTE :

- GST is included in the price.
- All prices mentioned are Ex-works, freight extra (to pay basis).
- Images, specifications, features & prices are indicative and are subject to change without prior notice.
- Subject to Anand Jurisdiction.

Accessories & Tools



Stress Viewer



Polish Wheel



Plier



Drill / Generator Tool



Dressing Stick



Buffing Wheel

| Model | Price Incl. GST |
|---|------------------|
| • Stress Viewer (L3W5SV01) | 2,000/- |
| • 4" Polishing Wheel | 600/- |
| • 5" Polishing Wheel | 700/- |
| • Dressing Stick (Yellow / Green / White) | 150/- |
| • Luster Stick | 180/- |
| • Buffing Wheel - 4" | 140/- |
| • Buffing Wheel - 5" | 160/- |
| • Optical Pliers & Accessories | Price on Request |
| Generator Tools / Cutter | |
| • 41/44 mm Dia. Spherical Tool | 2,800/- |
| • 90 mm Dia. Cylinder Tool | 7,500/- |
| • Groover Cutter 25 mm Dia. | 600/- |
| • CR/Glass Cutter Blade | 650/- |

Dealer

For More Details Please Call:
Mob.: +91-92271 61732/33/77 Tel.: 02692-253662