

WELDING MACHINES





Brand Name Niko Arc
SKU WEL.ARC.56942525
Type of Product Welding Machine
Frequency 50/60Hz
Weight 4.485 Kg
Model No Niko Arc G fuse
Insulation Class F
Dimensions 255x190x280mm
Power Factor 0.83/0.93 COS
Rated Output Voltage 26V
Output Current Range 0-150A
Voltage 1-220/2-380V
Rated Duty Cycle 0.6
Protection Class IP21S
Efficiency (%) 85
Rated Input Capacitor 6.6 KVA
Output Load Voltage 24/66V
Is Consumable N

Metl M13 200Amp Welding Machine – 220V



Specifications :

- Model No. : M13
- Product Type : Welder
- Brand : Metl
- Voltage : 1-220V
- Frequency : 50/60Hz
- Rated Input Capacitor : 5.8KVA
- Rated Output Voltage : 25.6 V
- Power Factor : 0.73
- Output no-load Voltage : 25.6V
- Rated Duty Cycle : 40%
- Output Current Range : 20-140A
- Efficiency : 85%
- Insulation Class : F
- Protection Degree : IP21S
- Size (LxWxH) : 375x150x240
- Gross Weight : 6.2Kg (Approx)



Metl M15 Portable Type 27.2 Voltage Welding Machine – 180Amp

Specifications :

- Model No. : M15
- Product Type : Welder
- Brand : Metl
- Rated Input Capacitor : 7.9KVA
- Rated Output Voltage : 27.2V
- Power Factor : 0.73
- Output no load Voltage : 27.2V
- Rated Duty Cycle : 40%
- Output Current Range : 20-180A
- Size (LxWxH) : 375x150x240 mm
- Gross Weight : 7.3 Kg (Approx)



Description

Niko Arc G4 Heat 1 & 2 Phase 200 Amp Welding Machine – VRD Technology



Specifications :

- Model No. : Arc G4 Heat
- Product Type : Welding Machine
- Brand : Niko
- Voltage : 1-220/2-380 V
- Frequency : 50/60 Hz
- Rated Input Capacitor : 12.42 KVA
- Rated Output Voltage : 26 V
- Power Factor : 0.83/0.93 COS
- Output no-load Voltage : 24/66 V
- Rated Duty Cycle : 60%
- Output Current Range : 0-150A (220V/380V)
- Efficiency : 85%
- Insulation Class : F
- Protection Class : IP21S
- Dimension(LxWxH) : 370x230x300 mm
- Gross Weight : 4.86 Kg

1. ARC WELDING MACHINES

Description

Niko ARC O Heat 250 Amp Single & Double Phase Welding Machine

Specifications :

- Model : ARC O Heat
- Product Type : MMA/ARC Welding Machine
- Voltage Supply : 1-220/2-380 V
- Frequency : 50/60 Hz
- Rated Input Capacitor : 7.9 KVA
- Rated Output Voltage : 27.2 V
- Output no-load Voltage : 24/66 V
- Rated Duty Cycle : 60%
- Output Current Range : 0-180 Amp (220V/380V)
- Efficiency : 85%
- Insulation Class F
- Protection Degree : IP21S
- Dimension : 370 x 230 x 300 mm
- Gross Weight : 6.75 kg (Approx)



Description

Niko Arc C fuse 1 & 2 Phase 250 Amp Welding Machine – Multi Voltage

Specifications :

Model No. : Arc C fuse

Product Type : Welding Machine

Brand : Niko

Voltage : 1-220/2-380 V

Frequency : 50/60 Hz

Rated Input Capacitor : 7.9 (KVA)

Rated Output Voltage : 26.8 V

Output no-load Voltage : 24/66

Rated Duty Cycle : 60

Output Current Range : 0-170A (220V/380V)

Efficiency : 85%

Insulation Class : F


Protection Class : IP21S

Dimension (LxBxH) : 420x215x330mm

Gross Weight : 6.68 Kg (Approx)





Niko Arc S Fuse 1 & 2 Phase 300 Amp AC Welding Machine – Multi Voltage



Specifications :

- Model No. : Arc S Fuse
- Product Type : Welding Machine
- Brand : Niko
- Voltage : 1-220/2-380
- Frequency : 50/60 Hz
- Rated Input Capacitor : 10.1 KVA
- Rated Output Voltage : 28 V
- Output no-load Voltage : 24/66 V
- Rated Duty Cycle : 60 %
- Output Current Range : 0-200A (220V/380V)
- Efficiency : 85 %
- Insulation Class : F
- Protection Class : IP21S
- Dimension (LxWxH) : 480x280x460 mm
- Gross Weight : 10.3 Kg (Approx)

Niko Arc K fuse 3 Phase 400A Arc Welding Machine – 85% Efficiency



Specifications :

- Model No. : Arc K fuse
- Product Type : Welding Machine
- Brand : Niko
- Voltage (V) : 3-415 \pm 10%
- Frequency : 50Hz
- Rated Output Voltage : 30.4 (V)
- Rated Duty Cycle : 60%
- Output Current Range : 20-280 A
- Efficiency : 85%
- Insulation Class : F
- Protection Degree : IP21S
- Input Current : 15A
- Unload Voltage : 75V
- Dimension (LxWxH) : 500x230x420
- Gross Weight : 14.2 Kg (Approx)

Niko Arc R Heat 3 Phase 400A Arc Welding Machine 415V



Specifications :

- Model No. : Arc R Heat
- Product Type : Welding Machine
- Brand : Niko
- Voltage : 3-415 \pm 10%
- Frequency : 50-60 Hz
- Rated Input Capacitor : 15 KVA
- Rated Output Voltage : 34 V
- Power Factor (COS) : 0.93
- Output no-load Voltage : 75V
- Rated Duty Cycle : 60%
- Output Current Range : 350 A
- Efficiency : 85 %
- Insulation Class : F
- Protection Degree : IP21S
- Dimension (LxWxH) : 480*233*450
- Gross Weight : 21.8 Kg (Approx)